

FOUR HOLE SKELETON RINGS - WEAVER 1" XX-HIGH FOUR HOLE SKELETON RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

FOUR HOLE SKELETON RINGS These rings feature four Torx screws for maximum holding power and clamping pressure for reliable optic mounting. The lightweight aircraft grade aluminum are hard anodized coated for a lifetime of service. SPECS: Precision machined from 6061 T6 aluminum and finished with Type III hard-coat anodizing for maximum durability Made in America No-strip Torx screws and skeletonized design Type-III hard coat anodized finished



Attributes

- Name: [WEAVER 1" XX-HIGH FOUR HOLE SKELETON RINGS](#)
- Manufacturer: [WEAVER](#)
- Product no.: 000003921
- Mfr. No.: 48363
- Finish: -
- Height: -
- Scope Tube Diameter: -
- Size: -
- Style: Weaver
- Delivery weight: 0.204kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 076683483638

Item details

Made in USA

Table of Contents

- Startpage
- FOUR HOLE SKELETON RINGS WEAVER Safety Instruction Guide
- About Us

FOUR HOLE SKELETON RINGS WEAVER Safety Instruction Guide

Introduction

Thank you for choosing the FOUR HOLE SKELETON RINGS by WEAVER. These rings are designed for reliable optic mounting and are made from lightweight aircraft grade aluminum. To ensure safe and effective use of this product, please read and follow all safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the rings are used only for their intended purpose, which is to securely mount optics.
- Always inspect the rings before each use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals to prevent accidental injury.
- Follow all local regulations regarding the use and installation of optical equipment.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only the provided Torx screws for installation to ensure a secure fit.
- Do not overtighten the screws, as this may damage the rings or the mounted optics.
- Avoid using the rings in extreme environmental conditions, such as excessive heat or cold, which may affect performance.
- Ensure that the mounting surface is clean and free of debris before installation.
- If you experience any difficulty during installation or use, stop immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including the Torx screwdriver.
- Ensure the mounting surface is clean and dry.

2. Installation Steps

- Align the FOUR HOLE SKELETON RINGS with the mounting surface.
- Insert the Torx screws into the designated holes of the rings.
- Hand tighten each screw to secure the rings in place.
- Using the Torx screwdriver, tighten the screws evenly, ensuring that they are secure but not overly tight.

3. Usage

- Once installed, check the stability of the mounted optics.
- Regularly inspect the rings and screws for any signs of loosening or wear.
- If any issues are detected, remove the optics and recheck the installation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Recycle materials where possible, particularly aluminum components.
- Do not dispose of the product in general waste.

Contact Information for Further Support

For any inquiries regarding the FOUR HOLE SKELETON RINGS or safety concerns, please reach out to the designated EU contact point provided with your purchase.

By following these safety instructions, you can ensure a safe and effective experience with your FOUR HOLE SKELETON RINGS. Thank you for your attention to safety, and enjoy your product!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk