

MARLIN 1895 LEVER RAIL SIGHT SET - MARLIN 1895 GHOST RING LEVER RAIL SIGHT SET WHITE

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

One-piece front base, plus a fully adjustable ghost ring rear sight for Marlin lever guns. Hunters and competitive shooters alike will benefit from the faster sighting offered by the .191" and .230" inside diameter rear apertures and .100" wide, white line front sight blade. Lever Rail Ghost Ring sets include a rear ghost ring sight that mounts in the milled sight recess on the XS Sight Systems Lever Rail.



Attributes

- Name: [MARLIN 1895 GHOST RING LEVER RAIL SIGHT SET WHITE](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000162
- Mfr. No.: ML-0018-5
- Color: White
- Make: Marlin
- Model: 1895
- Sight Color: White
- Style: Ghost Ring
- Delivery weight: 0.068kg
- Shipping height: 33mm
- Shipping width: 122mm
- Shipping length: 185mm
- UPC: 647533036054

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MARLIN 1895 LEVER RAIL SIGHT SET
- About Us

Safety Instruction Guide for MARLIN 1895 LEVER RAIL SIGHT SET

Introduction

Thank you for choosing the MARLIN 1895 LEVER RAIL SIGHT SET. This product is designed to enhance your shooting experience with Marlin lever guns. Please read this safety instruction guide carefully to ensure safe and proper use of the sight set.

General Safety Guidelines

- Ensure that all safety precautions are followed when using this product.
- Always treat firearms and related equipment with respect and caution.
- Store the sight set in a secure location, away from children and unauthorized users.
- Regularly inspect the sight set for any signs of wear or damage before use.
- Follow all local laws and regulations regarding firearm usage and modifications.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when using firearms.
- Do not modify the sight set or any part of the firearm without proper knowledge and expertise.
- Ensure that the firearm is unloaded before installing or adjusting the sight set.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use the sight set only with compatible Marlin lever guns as specified.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing sights from the firearm if necessary.
- Align the front base of the sight set with the mounting area on the firearm.
- Secure the sight base using the provided screws, ensuring a tight fit without overtightening.
- Attach the rear ghost ring sight to the milled sight recess on the XS Sight Systems Lever Rail.
- Verify that both sights are securely mounted and aligned.

2. Usage:

- Adjust the rear ghost ring sight for windage and elevation as needed for optimal accuracy.
- Use the .191" and .230" inside diameter rear apertures for different shooting scenarios.
- The .100" wide, white line front sight blade should be used for quick target acquisition.

Disposal Instructions

- Dispose of this product in accordance with local regulations.
- Do not dispose of the sight set in regular household waste.
- Consider recycling options for metal components where available.

Contact Information for Further Support

For any questions or concerns regarding the MARLIN 1895 LEVER RAIL SIGHT SET, please reach out to the manufacturer or consult your local firearms expert. Ensure you have the product details available when seeking

assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your MARLIN 1895 LEVER RAIL SIGHT SET. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at