

# **MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM - XS SIGHT SYSTEMS MARLIN 1895 LEVER RAIL SIGHT SYSTEM**

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Lightweight scope rail with backup iron sights mounts to Marlin lever rifles without drilling and trapping. Features a large light-gathering rear ghost ring and high-visibility front post sight for fast sight acquisition during day or low-light conditions. Rear ghost ring is fully adjustable for windage and elevation, and includes interchangeable .191" and .230" diameter apertures for fine-tuning accuracy. One-piece front sight has easy-to-use .100" wide, white-line post. Rail accepts Picatinny or Weaver-style mounts. Extra-long design allows scope mounting directly over the receiver, or forward over the barrel with intermediate eye relief optics or red-dot sights. Requires removal of factory rear sight. Gunsmith installation recommended.



## **Attributes**

- Name: [XS SIGHT SYSTEMS MARLIN 1895 LEVER RAIL SIGHT SYSTEM](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000166
- Mfr. No.: ML-1001-5
- Action Type: Lever Action
- Colour: Matte Black
- Material: Aluminum
- Model: 1895
- Number of Bases: 1-Piece
- Style: Weaver
- Weapon type: Marlin
- Delivery weight: 0.136kg
- Shipping height: 36mm
- Shipping width: 38mm
- Shipping length: 305mm
- UPC: 647533035859

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instructions for MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM
- About Us

# Safety Instructions for MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM

## Introduction

Thank you for choosing the MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM by XS SIGHT SYSTEMS. This product is designed to enhance your shooting experience by providing a lightweight and versatile mounting solution for your Marlin lever rifles. Please read this safety instruction guide carefully to ensure safe and proper use of the product.

## General Safety Guidelines

- Always follow local laws and regulations regarding firearm use and modifications.
- Ensure that the firearm is unloaded before installing or handling the sight system.
- Use eye and ear protection when shooting.
- Keep the product out of reach of children and unauthorized users.
- Inspect the sight system regularly for any signs of wear or damage.
- Do not use the product if it appears damaged or malfunctioning.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Ensure that the mounting hardware is securely fastened before using the sight system.
- Do not exceed the manufacturer's specifications for scope weight and size.
- Use the appropriate sight settings for your shooting conditions (daylight or lowlight).
- Adjust the rear ghost ring for windage and elevation carefully to avoid misalignment.
- Avoid using the sight system with incompatible firearms or accessories.
- If you experience difficulty in sight acquisition, stop using the product and consult a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is unloaded.
- Remove the factory rear sight to allow installation of the sight system.

### 2. Installation

- Align the rail with the mounting holes on the receiver of your Marlin lever rifle.
- Use the provided mounting hardware to secure the rail firmly in place.
- Make sure the rail is level and properly aligned before tightening the screws.

### 3. Sight Adjustment

- Install the rear ghost ring and front post sight as per the manufacturer's instructions.
- Adjust the rear ghost ring for windage and elevation using a suitable tool.
- Choose the appropriate aperture size (.191" or .230") based on your shooting preference.

### 4. Usage

- When ready to shoot, ensure that your firearm is aimed in a safe direction.
- Use the sight system for aiming and acquire your target quickly with the highvisibility front post.
- Regularly check the alignment of the sights during shooting sessions.

## **Disposal Instructions**

- Dispose of any packaging materials in accordance with local waste disposal regulations.
- If the product is no longer in use, consider recycling the aluminum and steel components where possible.
- Do not dispose of the product in regular household waste if it contains hazardous materials.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM, please refer to the manufacturer's contact information provided with the product documentation.

By adhering to these safety instructions, you can ensure a safe and enjoyable experience with your MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM. Always prioritize safety and responsible firearm handling while using this product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)