

MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM - XS SIGHT SYSTEMS MARLIN 1894 LEVER RAIL SIGHT SYSTEM

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Lightweight scope rail with backup iron sights mounts to Marlin lever rifles without drilling and trapping. Features a large light-gathering rear ghost ring and high-visibility front post sight for fast sight acquisition during day or low-light conditions. Rear ghost ring is fully adjustable for windage and elevation, and includes interchangeable .191" and .230" diameter apertures for fine-tuning accuracy. One-piece front sight has easy-to-use .100" wide, white-line post. Rail accepts Picatinny or Weaver-style mounts. Extra-long design allows scope mounting directly over the receiver, or forward over the barrel with intermediate eye relief optics or red-dot sights. Requires removal of factory rear sight. Gunsmith installation recommended.



Attributes

- Name: [XS SIGHT SYSTEMS MARLIN 1894 LEVER RAIL SIGHT SYSTEM](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000167
- Mfr. No.: ML-1004-5
- Action Type: Lever Action
- Color: Matte Black
- Make: Marlin
- Material: Aluminum
- Model: 1894
- Number of Bases: 1-Piece
- Style: Weaver
- Delivery weight: 0.136kg
- UPC: 647533039475

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM
- About Us

Safety Instruction Guide for MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM

Introduction

Thank you for choosing the MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM by XS SIGHT SYSTEMS. This guide provides important safety instructions and information to ensure the safe use and installation of your new sight system. Please read this guide carefully before using the product.

General Safety Guidelines

- Product Safety: Ensure that all components are used as intended and follow the manufacturer's guidelines for safe operation.
- Enhanced Recalls: Be aware of any recall notices related to this product. If you receive a notice, follow the instructions provided.
- Online Shopping: If purchased online, verify that the seller complies with safety requirements and has a good reputation.
- Special Consumer Focus: This product is not intended for children. Ensure that it is used only by responsible adults who are familiar with firearm safety.
- Rapid Alerts: Stay informed about any safety alerts related to this product through the EU Safety Gate system.

Specific Safety Precautions for Use

- Always treat the firearm as if it is loaded.
- Ensure the firearm is pointed in a safe direction when installing or adjusting the sight.
- Wear appropriate eye protection when handling firearms.
- Do not modify or alter the sight system in any way.
- Ensure that the sight is securely mounted before use.
- Regularly check the sight for any signs of wear or damage.
- If you experience any issues with the sight, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a screwdriver and any mounting hardware provided.

2. Remove Factory Rear Sight:

- Carefully remove the factory rear sight from the firearm according to the manufacturer's instructions.

3. Mount the Rail:

- Align the MARLIN Lever Rail with the receiver of the firearm.
- Use the provided mounting hardware to secure the rail in place.
- Ensure that it is tightened to the manufacturer's specifications.

4. Install the Sights:

- Attach the front sight to the rail, ensuring it is positioned correctly.
- Adjust the rear ghost ring for windage and elevation as needed.

5. Final Checks:

- Doublecheck that all screws and mounts are secure.
- Ensure that the sight system is properly aligned with the firearm.

Usage Instructions

- When aiming, ensure that you have a clear view through the rear ghost ring and front post sight.
- Adjust the rear ghost ring to suit your shooting style and conditions.
- Practice using the sight system in a safe environment before engaging in live shooting.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the sight system becomes damaged beyond repair, dispose of it responsibly, ensuring it does not pose a hazard to the environment.

Contact Information for Further Support

For any safety inquiries or support regarding the MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM, please refer to the manufacturer's contact information provided with your product or visit their official website for assistance.

Thank you for prioritizing safety and responsible use. Enjoy your shooting experience!

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu