

# **MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM - XS SIGHT SYSTEMS MARLIN 336 LEVER RAIL SIGHT SYSTEM**

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Lightweight scope rail with backup iron sights mounts to Marlin lever rifles without drilling and trapping. Features a large light-gathering rear ghost ring and high-visibility front post sight for fast sight acquisition during day or low-light conditions. Rear ghost ring is fully adjustable for windage and elevation, and includes interchangeable .191" and .230" diameter apertures for fine-tuning accuracy. One-piece front sight has easy-to-use .100" wide, white-line post. Rail accepts Picatinny or Weaver-style mounts. Extra-long design allows scope mounting directly over the receiver, or forward over the barrel with intermediate eye relief optics or red-dot sights. Requires removal of factory rear sight. Gunsmith installation recommended.



## **Attributes**

- Name: [XS SIGHT SYSTEMS MARLIN 336 LEVER RAIL SIGHT SYSTEM](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000168
- Mfr. No.: ML-1002-5
- Action Type: Lever Action
- Color: Matte Black
- Make: Marlin
- Material: Aluminum
- Model: 336
- Number of Bases: 1-Piece
- Style: Weaver
- Delivery weight: 0.159kg
- UPC: 647533036030

## **Item details**

Made in USA

# Table of Contents

- Startpage
- MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM Safety Instruction Guide
- About Us

# MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM Safety Instruction Guide

## Introduction

Thank you for choosing the MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM by XS SIGHT SYSTEMS. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms with care and follow all safety regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any wear or damage.
- Report any unsafe conditions or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always wear eye protection when using firearms equipped with this sight system.
- Ensure that the firearm is unloaded before installing or adjusting the sight system.
- Do not use the sight system if you notice any damage or defects.
- Avoid exposure to extreme temperatures and moisture, as this may affect the performance of the sight system.
- Be aware of your surroundings and ensure that you have a clear line of sight when aiming your firearm.

## Instructions for Installation and Usage

### Installation

#### 1. Preparation

- Ensure the firearm is unloaded.
- Remove the factory rear sight from the Marlin lever rifle.

#### 2. Mounting the Rail

- Align the rail with the mounting points on the receiver of the rifle.
- Use the provided mounting hardware to secure the rail in place.
- Ensure that the rail is firmly attached and does not wobble.

#### 3. Installing the Sights

- Attach the rear ghost ring sight to the rail.
- Install the front post sight, ensuring it is aligned with the rear sight.
- Adjust the rear ghost ring for windage and elevation as needed.

### Usage

- Familiarize yourself with the sight system before use.
- Practice sight acquisition in both day and lowlight conditions to become proficient.
- Adjust the aperture size as necessary for your shooting conditions.
- Always check sight alignment and functionality before each use.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling components where possible.

## **Contact Information for Further Support**

For any inquiries regarding safety, product information, or support, please refer to the manufacturer's website or customer service channels.

By following these safety instructions, you can ensure a safer experience while using the MARLIN 1894/1895/336/308MX LEVER RAIL SIGHT SYSTEM. Always prioritize safety and responsible firearm handling.

# About Us

## **Brownells Europe**

### **Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

P.O.Box 4300   
Warwick   
CV34 9BR

[www.brownells.eu](http://www.brownells.eu)