

MARLIN 1894/1895/336/308MX LEVER RAIL - XS SIGHT SYSTEMS

MARLIN 1894 LEVER RAIL

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Provides Flexible Mounting Of Optics & Sights

Gain increased sighting options for your Marlin centerfire lever rifle by installing this lightweight, aluminum scope rail. Accepts Picatinny or Weaver-style rings, plus is specially milled on back end to accept the XS Sight Systems Lever Rail Ghost Ring Sight for Marlin 1894, 1895 and Marlin 336/308MX (found elsewhere in catalog). Extra-long rail gives plenty of versatility in mounting scope directly over the receiver or forward over the barrel for intermediate eye relief optics or red dot sights. Requires removal of factory rear sight. Gunsmith installation recommended.



Attributes

- Name: [XS SIGHT SYSTEMS MARLIN 1894 LEVER RAIL](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000170
- Mfr. No.: ML-6005R-N
- Action Type: Lever Action
- Colour: Matte Black
- Elevation: 0 MOA
- Material: Aluminum
- Model: 1894
- Number of Bases: 1-Piece
- Style: Picatinny
- Weapon type: Marlin
- Delivery weight: 0.113kg
- Shipping height: 36mm
- Shipping width: 36mm
- Shipping length: 305mm
- UPC: 647533042574

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MARLIN 1894/1895/336/308MX LEVER RAIL XS SIGHT SYSTEMS
- About Us

Safety Instruction Guide for MARLIN 1894/1895/336/308MX LEVER RAIL XS SIGHT SYSTEMS

Introduction

Thank you for choosing the MARLIN 1894/1895/336/308MX LEVER RAIL XS SIGHT SYSTEMS. This guide provides essential safety information and instructions for the proper installation and use of this product. Please read this guide carefully to ensure safe and effective operation.

General Safety Guidelines

- Ensure that the product is only used with compatible Marlin centerfire lever rifles.
- Always handle firearms with care, following all standard safety practices.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before beginning installation.
- Do not attempt to install the rail if you are unfamiliar with firearm assembly; seek professional assistance.
- Use caution when handling tools during installation to avoid personal injury.
- Avoid placing your fingers or hands in front of the muzzle when working on the firearm.
- Always wear appropriate eye protection when working with firearms and tools.

Instructions for Installation and Usage

1. Preparation

- Ensure you have the following tools: a screwdriver and any additional tools specified in the mounting hardware instructions.
- Verify that you have all components of the MARLIN 1894/1895/336/308MX LEVER RAIL XS SIGHT SYSTEMS.

2. Removing the Factory Rear Sight

- Carefully remove the factory rear sight from your Marlin rifle.
- Keep the screws and components in a safe place for potential future use.

3. Installing the Lever Rail

- Align the MARLIN lever rail with the mounting holes on the receiver of your rifle.
- Secure the rail in place using the provided mounting hardware. Make sure it is tightened properly to prevent movement during use.

4. Mounting the Scope

- Choose your preferred mounting position (directly over the receiver or forward over the barrel).
- Attach your Picatinny or Weaverstyle scope rings to the rail.
- Follow the manufacturer's instructions for mounting your specific scope.

5. Final Checks

- Doublecheck all screws and fittings to ensure everything is secure.
- Perform a function check on your rifle to ensure that it operates correctly with the new rail installed.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling regulations.
- If you need to dispose of the product itself, ensure that it is done in a manner that complies with local waste management guidelines.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

Thank you for ensuring the safe use of your MARLIN 1894/1895/336/308MX LEVER RAIL XS SIGHT SYSTEMS. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk