

DXW STANDARD DOT SUPPRESSOR HEIGHT SIGHTS FOR GLOCK® - XS SIGHT SYSTEMS DXW STD DOT SUPPRESSOR HGT-GLOCK® 17,19,22,24,26,31,36,38

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

Suppressor Height high-visibility sight combinations put you on target faster in high stress or low light conditions by pulling your eyes to the front sight. Sight set includes non-tritium, white line V-notch for the rear sight, green tritium dot surrounded by a white ring for the front. Low profile, no-snag design is great for carry and combat competition guns. Matched sight sets offer direct replacement of factory sights. The Standard Dot front sight has an easy-to-see white ring surrounding the tritium dot. Airlite Ti replaces pinned front sight on fixed sight guns, requires drilling for pin.



Attributes

- Name: [XS SIGHT SYSTEMS DXW STD DOT SUPPRESSOR HGT-GLOCK® 17,19,22,24,26,31,36,38](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000190
- Mfr. No.: GL-0004S-4
- Model: 19,22,23,24,26,32,34,35,38,33,31,17,27,36
- Sight Color: Green,Tritium
- Style: Tritium,Suppressor
- Weapon type: Glock
- Delivery weight: 0.076kg
- Shipping height: 32mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533044370

Item details

Made in USA

Table of Contents

- Startpage
- DXW STANDARD DOT SUPPRESSOR HEIGHT SIGHTS FOR GLOCK® XS SIGHT SYSTEMS
- About Us

DXW STANDARD DOT SUPPRESSOR HEIGHT SIGHTS FOR GLOCK® XS SIGHT SYSTEMS

Introduction

Thank you for choosing the DXW Standard Dot Suppressor Height Sights for your Glock® firearm. This guide provides essential safety instructions to ensure the proper use and installation of your sight system. Please read this manual carefully to maximize safety and performance.

General Safety Guidelines

- **Product Safety:** Ensure safe use of this product by following all instructions and guidelines provided. This product is designed for use with Glock® firearms only.
- **Enhanced Recalls:** Stay informed about any recalls or updates related to this product. Check the EU's Safety Gate platform for the latest information.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety standards.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the appropriate EU contact point.
- **Rapid Alerts:** Be aware of faster updates on unsafe products through the Safety Gate system.

Specific Safety Precautions for Use

- **Installation:** Proper installation is crucial for safety and performance. Follow the installation instructions carefully.
- **Shooting Environment:** Always ensure that you are in a safe environment when using your firearm equipped with these sights.
- **Maintenance:** Regularly check the sights for any damage or wear. Replace if necessary.
- **Visibility:** Ensure that the sight is clean and unobstructed for optimal visibility.
- **Handling:** Treat all firearms as if they are loaded. Always point the firearm in a safe direction.

Instructions for Installation and Usage

Installation Instructions

1. Tools Required:

- Screwdriver
- Drill (for Airlite Ti model)
- Allen wrench (if necessary)

2. Remove Existing Sights:

- Use the appropriate tool to remove the factoryinstalled sights from the firearm.

3. Install New Sights:

- For the rear sight, align it with the designated slot and secure it in place.
- For the front sight, ensure it is properly aligned and secured.
- If using the Airlite Ti model, drill a hole for the pin as required.

4. Check Alignment:

- Ensure that both the front and rear sights are aligned correctly before securing them completely.

5. Final Inspection:

- Inspect the installation to confirm that the sights are secure and properly aligned.

Usage Instructions

- **Target Acquisition:** Use the highvisibility features of the sights to assist in quick target acquisition, especially in low light conditions.
- **Practice:** Familiarize yourself with the sights in a safe shooting environment to improve your accuracy and comfort level.
- **Regular Checks:** After installation, periodically check the sights for tightness and alignment.

Disposal Instructions

- **Disposal of Product:** Dispose of the product in accordance with local regulations. Avoid disposing of in regular household waste.
- **Environmental Considerations:** Ensure that any hazardous materials are disposed of properly to minimize environmental impact.

Contact Information for Further Support

For additional questions or concerns regarding the DXW Standard Dot Suppressor Height Sights, please refer to the appropriate EU contact point or consult the retailer from which the product was purchased.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk