

# AR-15 XTI2 DXS EMBER STANDARD DOT ORANGE - XS SIGHT SYSTEMS AR-15 XT12 DXS STANDARD DOT ORANGE

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

XS XTI2 sights are a close-quarters, secondary sighting solution for a fast sight transition from a magnified primary optic. XTI2 sights reduce target engagement time and eliminate magnification adjustment. Our second generation XTI's feature taller bases for easy sight alignment, without having to break a standard cheek weld. Additionally, the base angle has been increased to accommodate wider lens optics. The front sight measures 0.140" wide and now feature an Orange Ember Glow Dot. The straight-line express sight picture makes XTI2's ideal for rapid sight acquisition and close target shooting. XTI2 express sights are ideal for 3-gun competitions. Most matches take place during the day and have stages in vehicles and other settings that reduce ambient light or present backlighting issues. Our Ember orange dot provides a high-contrast front sight in bright light and is instantly charged from the sun's UV rays, glowing in shadows and low light settings such as vehicles. XTI2 sight sets are mounted in front of the optic to reduce snagging gear on chest rigs. 3-gun matches cover distances from short to long distances. XTI2 sights are pistol sights designed for pistol length distances where magnified optics make target identification more difficult. XTI2 sights ship with thread locker and a front sight adjustment tool. The rear sight is installed, but not sealed in place to allow for easy windage adjustment. Thread locker will need to be applied after the rifle is zeroed.



## Attributes

- Name: [XS SIGHT SYSTEMS AR-15 XT12 DXS STANDARD DOT ORANGE](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000248
- Mfr. No.: AR-0008-1N
- Colour: Orange
- Style: Match
- Weapon type: AR-15
- Delivery weight: 0.118kg
- Shipping height: 44mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533046572

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 XTI2 DXS EMBER STANDARD DOT ORANGE XS SIGHT SYSTEMS
- About Us

# Safety Instruction Guide for AR15 XTI2 DXS EMBER STANDARD DOT ORANGE XS SIGHT SYSTEMS

## Introduction

Thank you for choosing the AR15 XTI2 DXS Ember Standard Dot Orange XS Sight System. This product is designed to enhance your shooting experience by providing a reliable sighting solution. To ensure your safety and the proper functioning of this product, please read and follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Ensure that the product is used in accordance with all local laws and regulations.
- Always treat firearms with respect and handle them safely.
- Keep this product out of the reach of children and vulnerable individuals.
- Regularly inspect the sight system for any signs of wear or damage.
- If you notice any defects or issues, discontinue use immediately and consult a professional.

## Specific Safety Precautions for Use

- Always wear appropriate eye protection when using firearms equipped with this sight system.
- Do not modify the sight system in any way that could compromise its safety or performance.
- Ensure that the sight is securely mounted before use to prevent it from becoming dislodged.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use only compatible firearms as specified in the product documentation.

## Instructions for Installation and Usage

### Installation

1. **Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
2. **Mount the Sight:**
  - Align the sight with the mounting points on the firearm.
  - Use the provided thread locker to secure the sight in place.
  - Install the rear sight but do not seal it to allow for windage adjustments.
3. **Adjust the Sight:**
  - Use the front sight adjustment tool to make necessary adjustments after zeroing the rifle.
  - Ensure the sight is properly aligned for optimal performance.

### Usage

- Familiarize yourself with the sight system before engaging in any shooting activities.
- Practice using the sight in a controlled environment to enhance your proficiency.
- Always doublecheck the sight alignment before shooting.
- In lowlight conditions, allow the Ember orange dot to charge from ambient light for maximum visibility.

## Disposal Instructions

- Dispose of the sight system in accordance with local regulations regarding electronic waste.
- Do not throw the product in regular trash; instead, take it to a designated disposal facility.
- Ensure that all components are disposed of responsibly to minimize environmental impact.

## **Contact Information for Further Support**

For any questions or concerns regarding the AR15 XTI2 DXS Ember Standard Dot Orange XS Sight System, please refer to the manufacturer's contact information provided with the product. It is essential to reach out to authorized support channels for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 XTI2 DXS Ember Standard Dot Orange XS Sight System. Always prioritize safety and responsible usage.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)