

AR-15 BLADE .080" FRONT BLADE - XS SIGHT SYSTEMS .275" BLADE .080" FRONT BLADE STAINLESS STEEL WHITE

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Fast, Accurate Sighting In All Light Conditions

Draws your eye to the sight and increases contrast on dark targets. Double-faced, 30° angle blade offers 2.5 MOA elevation per click. .080" wide version for improved accuracy at long range.



Attributes

- Name: [XS SIGHT SYSTEMS .275" BLADE .080" FRONT BLADE STAINLESS STEEL WHITE](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006111080
- Mfr. No.: AR-2008-1
- Colour: White
- Height: .275
- Material: Stainless Steel
- Style: Blade
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 33mm
- Shipping width: 124mm
- Shipping length: 185mm
- UPC: 647533042406

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 BLADE .080" FRONT BLADE XS SIGHT SYSTEMS
- About Us

Safety Instruction Guide for AR15 BLADE .080" FRONT BLADE XS SIGHT SYSTEMS

Introduction

Thank you for choosing the AR15 BLADE .080" FRONT BLADE XS SIGHT SYSTEMS. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the product with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the sight system for any signs of wear or damage before use.
- Follow all local laws and regulations regarding the use of firearm accessories.

Specific Safety Precautions for Use

- Use the sight only on compatible firearms as specified by the manufacturer.
- Do not modify the sight system in any way, as this may compromise safety and performance.
- Avoid using the sight in extreme weather conditions that may impair visibility or functionality.
- Always ensure that the firearm is unloaded when installing or adjusting the sight.
- Use appropriate eye protection when using firearms equipped with this sight system.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Use the included sight adjustment tool to install the sight on the firearm's rail.
- Follow the manufacturer's guidelines for securing the sight to ensure stability and accuracy.
- Verify that the sight is firmly attached before proceeding to use.

2. Usage:

- Adjust the sight for elevation and windage as necessary by using the adjustment tool.
- Align your eye with the sight and ensure a clear view of the target.
- Practice using the sight in a safe and controlled environment before engaging in live shooting.
- Regularly check the sight's alignment and make adjustments as needed.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling components where possible.

Contact Information for Further Support

For any safety inquiries or additional support regarding the AR15 BLADE .080" FRONT BLADE XS SIGHT SYSTEMS, please refer to the manufacturer's contact resources.

Thank you for prioritizing safety while using your product. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk