

IOSO NYFLEX PISTOL BORE BRUSHES - IOSO PRODUCTS IOSO PISTOL BORE BRUSH .357/9MM

[Gun Cleaning & Chemicals](#) > [Brushes & Bore Snakes](#) > [Bore Brushes](#)

Tough, long-lasting bore brushes thoroughly clean handguns, rifles and shotguns. Distinctive blue Nyflex bristles flex more than bronze, letting you scrub back and forth without fear of getting the brush stuck in the bore. Easily scrubs out all types of fouling, and the brass wire brush core won't scratch the bore. Handgun and rifle brushes have 8-32 male threads, and shotgun brushes have 5/16-27 male threads. Sold as single brushes.



Attributes

- Name: [IOSO PRODUCTS IOSO PISTOL BORE BRUSH .357/9MM](#)
- Manufacturer: [IOSO PRODUCTS](#)
- Product no.: 073000011
- Mfr. No.: 19002
- Caliber: 38/357 Caliber (.357-.359),35 Caliber (.358),9 mm (.355-.356)
- Qty: 1
- Style: Handgun
- Delivery weight: 0.009kg
- Shipping height: 10mm
- Shipping width: 36mm
- Shipping length: 79mm
- UPC: 054094190024

Item details

Made in USA

Table of Contents

- Startpage
- IOSSO NYFLEX PISTOL BORE BRUSHES Safety Instruction Guide
- About Us

IOSSO NYFLEX PISTOL BORE BRUSHES Safety Instruction Guide

Introduction

Thank you for choosing the IOSSO NYFLEX PISTOL BORE BRUSHES. These bore brushes are designed to provide effective cleaning for handguns, rifles, and shotguns. This safety instruction guide aims to ensure the safe and effective use of the product, complying with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always use the bore brushes according to the instructions provided.
- Inspect the brushes before each use for any signs of damage or wear.
- Keep the brushes out of reach of children to prevent accidents.
- Report any unsafe product experiences to the relevant authorities.
- Stay informed on product recalls by checking the EU Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the bore brushes on firearms that are loaded or have ammunition present.
- Ensure the firearm is completely unloaded and pointed in a safe direction before cleaning.
- Avoid excessive force when scrubbing to prevent damage to the firearm bore.
- Use appropriate personal protective equipment (PPE), such as safety goggles and gloves, while cleaning.
- Store the bore brushes in a dry place to prevent corrosion or damage.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather all necessary cleaning supplies including the IOSSO NYFLEX PISTOL BORE BRUSH.

2. Attaching the Brush:

- For handguns and rifles, use the 832 male threads to attach the bore brush to a cleaning rod.
- For shotguns, use the 5/1627 male threads for attachment.

3. Cleaning Procedure:

- Insert the bore brush into the firearm bore gently.
- Scrub back and forth to remove fouling, utilizing the flexibility of the Nyflex bristles.
- Do not force the brush; if resistance is felt, remove and inspect for obstructions.

4. PostCleaning:

- After cleaning, remove the bore brush and clean any residual cleaning solution from the firearm.
- Store the bore brushes in a safe place, ensuring they are dry and free from contaminants.

Disposal Instructions

- Dispose of any damaged or worn bore brushes in accordance with local waste disposal regulations.
- Do not dispose of the product in household waste if it can be recycled.
- Check with local authorities for proper disposal methods for cleaning products and materials.

Contact Information for Further Support

For any inquiries regarding the safety and use of the IOSSO NYFLEX PISTOL BORE BRUSHES, please refer to the contact information provided on the packaging or the manufacturer's website.

Thank you for your attention to these safety guidelines. Following these instructions will help ensure a safe and effective cleaning experience with your IOSSO NYFLEX PISTOL BORE BRUSHES.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk