

# RIFLE FRONT SIGHT DETENT SPRING 3-PAK - BROWNELLS RIFLE FRONT SIGHT DETENT SPRING 1.876" TANG, BLACK, 3 PACK

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Front Sight Springs](#)

Put the zing back into the rifle you thought was past its prime. Manufactured to precise tolerances, these high quality, replacement springs help keep your AR-15 functioning properly. Great for emergency spares or for assembling a parts rifle. Available in 3-paks.



## Attributes

- Name: [BROWNELLS RIFLE FRONT SIGHT DETENT SPRING 1.876" TANG, BLACK, 3 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000082
- Mfr. No.:
- Colour: Silver
- Weapon type: AR-15
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806003347

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [RIFLE FRONT SIGHT DETENT SPRING 3PAK SAFETY INSTRUCTIONS](#)
- [About Us](#)

# RIFLE FRONT SIGHT DETENT SPRING 3PAK

## SAFETY INSTRUCTIONS

### Introduction

Thank you for purchasing the RIFLE FRONT SIGHT DETENT SPRING 3PAK from Brownells. This product is designed to enhance the functionality of your AR15 rifle. To ensure safe usage and compliance with European safety regulations, please read and follow these safety instructions carefully.

### General Safety Guidelines

- Always handle firearms with care and ensure they are unloaded when performing maintenance or modifications.
- Store the RIFLE FRONT SIGHT DETENT SPRING 3PAK in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the springs for signs of wear or damage before installation.
- Follow all local laws and regulations regarding firearms and their components.

### Specific Safety Precautions for Use

- Ensure that you are familiar with the operation and safety features of your AR15 rifle.
- Use only compatible components with your rifle to avoid malfunctions.
- Wear appropriate protective gear, such as safety glasses, when working on your firearm.
- Avoid using excessive force when installing the springs to prevent damage to the components.

### Instructions for Installation and Usage

#### 1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a small punch and a hammer.

#### 2. Installation Steps

- Remove the existing front sight detent spring if applicable.
- Carefully insert the new RIFLE FRONT SIGHT DETENT SPRING into the designated area.
- Use a small punch to ensure the spring is seated properly, but do not apply excessive force.
- Reassemble any components removed during the installation process.

#### 3. PostInstallation Checks

- Verify that the front sight functions correctly.
- Test the rifle in a safe environment to ensure proper operation before regular use.

### Disposal Instructions

- Dispose of any old or damaged springs in accordance with local regulations.
- Do not dispose of springs in regular household waste; check for recycling options or hazardous waste disposal sites.

## **Contact Information for Further Support**

For any questions or concerns regarding the RIFLE FRONT SIGHT DETENT SPRING 3PAK, please refer to the manufacturer's website or contact the customer support service provided at the time of purchase.

By following these safety instructions, you can help ensure a safe and effective experience with your new RIFLE FRONT SIGHT DETENT SPRING 3PAK. Always prioritize safety and compliance with local laws when handling firearms. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)