

AR-15 EJECTION PORT COVER SPRINGS - BRN AR-15 EJECTION PORT COVER SPRING, CHROME SILICON, 3 PACK

[Rifle Parts](#) > [Receiver Parts](#) > [Caliber Conversion Kits](#)

Put the zing back into the rifle you thought was past its prime. Manufactured to precise tolerances, these high quality, replacement springs help keep your AR-15 functioning properly. Great for emergency spares or for assembling a parts rifle. Available singly, or in 3-paks.



Attributes

- Name: [BRN AR-15 EJECTION PORT COVER SPRING, CHROME SILICON, 3 PACK](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 078000091
- Mfr. No.:
- Make: AR-15
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806003415

Item details

Made in USA

Table of Contents

- Startpage
- AR15 Ejection Port Cover Springs Safety Instruction Guide
- About Us

AR15 Ejection Port Cover Springs Safety Instruction Guide

Introduction

Thank you for purchasing the AR15 Ejection Port Cover Springs from Brownells. This guide provides important safety instructions to ensure the proper use and maintenance of this product. Please read this guide carefully to understand the safety measures needed for your AR15.

General Safety Guidelines

- Always ensure that the firearm is unloaded before performing any maintenance or installation.
- Use only compatible parts and accessories designed for the AR15 platform.
- Store the springs in a safe, dry place away from children and unauthorized users.
- Regularly inspect all components for wear or damage before use.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that you are familiar with the operation of your AR15 before attempting to install or replace parts.
- Always wear safety glasses when working with firearm components.
- Avoid using excessive force during installation to prevent damage to the springs or the firearm.
- Do not attempt to modify the springs or use them in any unintended manner.
- Keep your workspace clean and organized to avoid losing small parts.

Instructions for Installation and Usage

1. Preparation:

- Make sure the AR15 is completely unloaded and the safety is engaged.
- Gather all necessary tools and components for installation.

2. Installation Steps:

- Remove the existing ejection port cover spring by carefully disassembling the relevant parts of the AR15.
- Inspect the ejection port area for any debris or damage.
- Take the new chrome silicon ejection port cover spring from the package.
- Align the new spring with the installation point and gently insert it into place.
- Ensure that the spring is seated correctly and functions smoothly.
- Reassemble any parts that were removed during the installation process.

3. PostInstallation Check:

- After installation, perform a function check to ensure that the ejection port cover operates correctly.
- Test the rifle in a safe environment to confirm that all components are functioning as intended.

Disposal Instructions

- Dispose of any old or damaged springs in accordance with local regulations.
- Do not throw springs in general waste; check for recycling options if available.
- Ensure that any disposed parts are out of reach of children and pets.

Contact Information for Further Support

For any questions or concerns regarding the AR15 Ejection Port Cover Springs, please refer to the manufacturer's contact information provided on the packaging or visit their official website for support.

By following these safety instructions, you can ensure a safe and effective experience with your AR15 Ejection Port Cover Springs. Thank you for prioritizing safety in your firearm maintenance practices.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at