

AR15 30-RD MAG SPRING MIL-STD (SS) EA - BROWNELLS MAGAZINE SPRING, 30 ROUND, STAINLESS STEEL

[Magazines](#) > [Rifle Magazines](#) > [Magazine Parts](#) > [Magazine Springs](#)

Brownells OEM stainless steel replacement spring for the STANAG 30rd 5.56x45 magazine.



Attributes

- Name: [BROWNELLS MAGAZINE SPRING, 30 ROUND, STAINLESS STEEL](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000109
- Mfr. No.: NONE
- Weapon type: AR-15
- Delivery weight: 0.025kg
- Shipping height: 20mm
- Shipping width: 53mm
- Shipping length: 292mm
- UPC: 050806003521

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 30RD MAG SPRING MILSTD \(SS\)](#)
- [About Us](#)

Safety Instruction Guide for AR15 30RD MAG SPRING MILSTD (SS)

Introduction

Thank you for purchasing the AR15 30RD MAG SPRING MILSTD (SS) from Brownells. This product is designed to enhance the functionality of your STANAG 30rd 5.56x45 magazine. To ensure your safety and the proper use of this product, please read and follow the instructions and guidelines outlined in this manual.

General Safety Guidelines

- Always handle firearms and firearm accessories with care.
- Ensure that the firearm is unloaded before installing or handling the magazine spring.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the magazine spring for signs of wear or damage.
- If you notice any defects or issues, discontinue use immediately and contact the manufacturer.
- Follow all local laws and regulations regarding the use of firearms and accessories.

Specific Safety Precautions for Use

- Ensure that the spring is compatible with your specific AR15 magazine model.
- Do not attempt to modify or alter the spring in any way.
- Use the spring only as intended; do not use it for any other purpose.
- Avoid exposing the spring to extreme temperatures or harsh chemicals that may cause deterioration.
- Always store the spring in a dry, cool place when not in use.

Instructions for Installation and Usage

1. Preparation

- Gather necessary tools, including a flathead screwdriver (if needed).
- Ensure you have a clean workspace free of debris.

2. Installation

- Remove the magazine from the firearm and ensure it is unloaded.
- Disassemble the magazine according to the manufacturer's instructions.
- Carefully remove the old spring from the magazine.
- Insert the new stainless steel spring into the magazine, ensuring it is properly aligned.
- Reassemble the magazine, ensuring all components are securely in place.

3. Usage

- Load the magazine according to the manufacturer's guidelines.
- Always check that the magazine is securely attached to the firearm before use.
- Practice safe handling and shooting techniques at all times.

Disposal Instructions

- Dispose of the old spring and any packaging materials in accordance with local waste disposal regulations.
- Do not dispose of the spring in a manner that may cause harm to the environment.

Contact Information for Further Support

For any safety inquiries or support regarding this product, please reach out to the manufacturer or your local authorized dealer. Always refer to the latest updates and safety information on the EU's Safety Gate platform.

Thank you for prioritizing safety while using the AR15 30RD MAG SPRING MILSTD (SS). Your cooperation in following these guidelines helps ensure a safe experience for you and others.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk