

AR-15 XM16E1 3 PRONG FLASH HIDER 22 CAL - BROWNELLS

XM16E1 3 PRONG 22 CALIBER FLASH HIDER, 1/2"-28, STEEL, BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

Complete your Retro build with the Brownells Early 3 Prong Duckbill flash hider

Complete your Retro build with the Brownells Improved 3 Prong Flash Hider. The "Improved" Flash Hider was used following the discontinuation of the early "Duckbill" 3 Prong Flash Hider, as the thin prongs tended to bend & break. This version is proper for Model 602 & 603 rifles, as well as the XM16E1 issued to the US Military and used during Vietnam. Looks great at home on a Retro rifle, or any AR-15 of your choice. "Improved" 3 Prong design has reinforced prongs Phosphate finish 1/2-28 threads Modeled directly off of original part DOES NOT COME WITH CRUSH WASHER Build the proper XM16E1 or Retro rifle of your choice with an Early 3 Prong Flash Hider. This muzzle device does not have wrench flats to install. A strap wrench or 3 prong armorers wrench is needed to properly install.



Complete your Retro build with the Brownells Improved 3 Prong Flash Hider. The "Improved" Flash Hider was used following the discontinuation of the early "Duckbill" 3 Prong Flash Hider, as the thin prongs tended to bend & break. This version is proper for Model 602 & 603 rifles, as well as the XM16E1 issued to the US Military and used during Vietnam. Looks great at home on a Retro rifle, or any AR-15 of your choice. "Improved" 3 Prong design has reinforced prongs Phosphate finish 1/2-28 threads Modeled directly off of original part DOES NOT COME WITH CRUSH WASHER Build the proper XM16E1 or Retro rifle of your choice with an Early 3 Prong Flash Hider. This muzzle device does not have wrench flats to install. A strap wrench or 3 prong armorers wrench is needed to properly install.

Attributes

- Name: [BROWNELLS XM16E1 3 PRONG 22 CALIBER FLASH HIDER, 1/2"-28, STEEL, BLACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000390
- Mfr. No.: II007
- Caliber: 22 Caliber (.223-.224)
- Finish: Black
- Material: Steel
- Threads: 1/2-28
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 84mm
- Shipping length: 89mm
- UPC: 050806003729

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 XM16E1 3 Prong Flash Hider](#)
- [About Us](#)

Safety Instruction Guide for AR15 XM16E1 3 Prong Flash Hider

Introduction

Thank you for purchasing the AR15 XM16E1 3 Prong Flash Hider. This product is designed to enhance your Retro rifle build while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use, install, and dispose of this product properly.

General Safety Guidelines

- Always ensure that the firearm is unloaded before performing any installation or maintenance work.
- Use only the specified tools for installation to avoid damage and ensure safety.
- Avoid using the flash hider if it shows any signs of wear, damage, or deformation.
- Store the flash hider in a dry and secure location away from children and unauthorized users.
- Regularly inspect the flash hider for any signs of damage or wear.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- The flash hider is designed for use with AR15 rifles and is suitable for 22 caliber (.223.224) ammunition.
- Ensure that the flash hider is compatible with your specific rifle model before installation.
- Use a strap wrench or a 3 prong armorers wrench for proper installation; do not attempt to install without the proper tools.
- Avoid overtightening the flash hider, as this may cause damage to the threads or the device itself.
- Keep the flash hider away from heat sources and flames, as it may become hot during use.
- Do not attempt to modify or alter the flash hider in any way, as this may compromise safety and performance.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools: strap wrench or 3 prong armorers wrench.

2. Installation:

- Align the flash hider with the muzzle of the rifle.
- Using the strap wrench or armorers wrench, gently tighten the flash hider onto the muzzle.
- Ensure it is secured but do not overtighten.
- Check for proper alignment and fit.

3. Usage:

- Once installed, the flash hider is ready for use.
- Always follow standard firearm safety practices when using your rifle.

Disposal Instructions

- Dispose of the flash hider in accordance with local regulations regarding metal products.
- Do not dispose of in regular household waste if local laws prohibit it.
- If the flash hider is damaged beyond use, consult local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the AR15 XM16E1 3 Prong Flash Hider, please refer to the product packaging or the manufacturer's website for additional support and information.

This safety instruction guide is designed to ensure your safety and satisfaction with the AR15 XM16E1 3 Prong Flash Hider. Always prioritize safety and adhere to the guidelines provided. Thank you for your attention and responsible use of this product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk