

S&W PARTS KIT #1 6 PACK

[Handgun Parts](#) > [Sights](#) > [Sight Parts](#) > [Sight Parts Kits](#)

Parts Required For S&W Factory Rear Sights

Windage screws must be broken anytime a standard sight blade is replaced; here are the replacements. Some "J" frame models may use a smaller head diameter. The screw in this kit has a .217" diameter head.



Attributes

- Name: [S&W PARTS KIT #1 6 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078001006
- Mfr. No.:
- Make: Smith & Wesson
- Model: Universal Handguns
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806004283

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- S&W Parts Kit #1 Safety Instruction Guide
- About Us

S&W Parts Kit #1 Safety Instruction Guide

Introduction

Thank you for choosing the S&W Parts Kit #1. This product contains essential components for the maintenance and adjustment of your Smith & Wesson firearms. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that all parts are compatible with your specific firearm model before use.
- Always handle firearms with care and follow standard safety protocols.
- Keep this product out of reach of children and vulnerable individuals.
- Regularly inspect the parts for wear and damage before each use.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only the windage adjustment screws and components included in this kit.
- Do not modify or attempt to repair any parts yourself.
- Always wear safety glasses when handling or installing firearm components.
- Ensure that the firearm is unloaded and pointed in a safe direction during installation.
- Follow the manufacturer's guidelines for your specific firearm model.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools (e.g., screwdriver, wrench) before starting the installation.
- Ensure that you are working in a clean, welllit area.

2. Installation Steps:

- **Remove the Old Sight Blade:**
 - Use the appropriate tool to carefully remove the existing sight blade.
- **Install the New Windage Adjustment Screw:**
 - Take the new windage adjustment screw from the kit.
 - Align the screw with the sight blade mounting hole.
 - Insert the screw and tighten it securely using a wrench, ensuring not to overtighten.
- **Install Detent Plungers and Springs:**
 - Place the detent plungers into their respective positions.
 - Ensure that the springs are seated properly for optimal functionality.

3. Final Checks:

- After installation, check that all components are secure.
- Test the adjustment mechanism to ensure it operates smoothly.

Disposal Instructions

- Dispose of any old or unused parts in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options where available.

Contact Information for Further Support

For any questions or concerns regarding the S&W Parts Kit #1, please refer to the manufacturer's website or customer service. Ensure that you have the product details and any relevant information available when seeking assistance.

Thank you for your attention to these safety guidelines. Enjoy using your S&W Parts Kit #1 safely and responsibly.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at