

SMITH & WESSON REAR SIGHT REBUILD PART KITS #2 - BROWNELLS S&W PARTS KIT #2 SINGLE PACK

[Handgun Parts](#) > [Sights](#) > [Sight Parts](#) > [Elevation Parts](#)

Parts Required For S&W Factory Rear Sights

The elevation stud and spring clip are the most commonly lost parts on a S&W rear sight.



Attributes

- Name: [BROWNELLS S&W PARTS KIT #2 SINGLE PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078002001
- Mfr. No.:
- Model: Universal Handguns
- Weapon type: Smith & Wesson
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806004290

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- SMITH & WESSON REAR SIGHT REBUILD PART KITS #2 Safety Instruction Guide
- About Us

SMITH & WESSON REAR SIGHT REBUILD PART KITS #2 Safety Instruction Guide

Introduction

Thank you for purchasing the SMITH & WESSON REAR SIGHT REBUILD PART KITS #2 from BROWNELLS. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- In case of any defects or concerns, do not use the product and contact the retailer for assistance.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always handle the rear sight rebuild parts with care to avoid injury.
- Use appropriate tools when installing or adjusting the rear sight to prevent damage.
- Do not attempt to modify or alter the parts, as this may lead to unsafe conditions.
- Ensure that all parts are securely installed before using the firearm.
- Follow the manufacturer's instructions for the specific model of firearm to ensure compatibility and safety.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and components before starting the installation.
- Ensure that the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Remove the existing rear sight from the firearm according to the manufacturer's instructions.
- Inspect the elevation stud and spring clip for any signs of damage.
- Install the new elevation stud and spring clip, ensuring they are correctly positioned.
- Tighten all screws and components securely to prevent movement during use.

3. Usage:

- After installation, test the rear sight for proper alignment and functionality.
- Make adjustments as needed, following the specific instructions for your firearm model.
- Always use the firearm in a safe environment and follow all safety protocols.

Disposal Instructions

- Dispose of any packaging materials and old parts responsibly.
- Follow local regulations for the disposal of firearm components and materials.
- If in doubt, consult local waste management authorities for guidance.

Contact Information for Further Support

For any questions or concerns regarding the SMITH & WESSON REAR SIGHT REBUILD PART KITS #2, please refer to the manufacturer or retailer for support.

Thank you for prioritizing safety in your use of this product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk