

SMITH & WESSON REAR SIGHT REBUILD PART KITS #2 - S&W PARTS KIT #2 6 PACK

[Handgun Parts](#) > [Sights](#) > [Sight Parts](#) > [Elevation Parts](#)

Parts Required For S&W Factory Rear Sights

The elevation stud and spring clip are the most commonly lost parts on a S&W rear sight.



Attributes

- Name: [S&W PARTS KIT #2 6 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078002006
- Mfr. No.:
- Make: Smith & Wesson
- Model: Universal Handguns
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806004306

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- SMITH & WESSON REAR SIGHT REBUILD PART KITS #2 S&W PARTS KIT #2 6 PACK Safety Instruction Guide
- About Us

SMITH & WESSON REAR SIGHT REBUILD PART KITS #2 S&W PARTS KIT #2 6 PACK Safety Instruction Guide

Introduction

Thank you for choosing the SMITH & WESSON REAR SIGHT REBUILD PART KITS #2. This guide provides essential safety instructions to ensure the safe use and installation of the product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the parts with care to avoid injury or damage.
- Keep all parts out of reach of children and vulnerable individuals.
- Regularly inspect the parts for wear and damage before use.
- If any part is damaged, do not use it and replace it immediately.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the parts in a welllit environment to avoid accidents during installation.
- Wear appropriate safety gear, such as gloves and safety glasses, while handling the parts.
- Avoid using excessive force during installation to prevent damage to the parts or the firearm.
- Follow the manufacturer's guidelines for compatible models to ensure proper fit and function.
- Do not modify the parts in any way, as this may compromise safety and performance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and parts before beginning the installation.
- Ensure that the firearm is unloaded and pointed in a safe direction.

2. Installation Steps

- Remove the existing rear sight from the firearm according to the manufacturer's instructions.
- Identify the elevation stud and spring clip from the rebuild kit.
- Install the elevation stud by aligning it with the designated slot on the rear sight.
- Secure the elevation stud in place using the spring clip. Ensure it is firmly attached.
- Doublecheck the installation to confirm that all parts are secure and correctly positioned.

3. PostInstallation Checks

- After installation, inspect the rear sight to ensure it is functioning properly.
- Test the elevation adjustment to confirm that it operates smoothly.
- If any issues arise, consult a qualified gunsmith for assistance.

Disposal Instructions

- Dispose of any damaged or unused parts in accordance with local regulations.
- Do not dispose of parts in regular household waste.
- Check with local authorities for proper disposal methods for firearm parts.

Contact Information for Further Support

For any inquiries or concerns regarding the product, please refer to the manufacturer's contact information provided with the product packaging or visit their official website.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at