

LEUPOLD TORX SCREWS - BROWNELLS TORX HEAD RING SCREWS, 8-40 THREAD, .280" LENGTH, BLUE

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Replacement Sight Screws](#)

Convenient 12 Paks Of The Most Useable Sizes For Scope Mounting Applications

Refill your Leupold factory screw kit or keep these extra-strong, heat-treated screws on hand for your customers and yourself. We've put together the most requested screw sizes in money-saving 12 Paks so it's easier to convert existing rings and bases to Torx head without having to buy more than you need. These are the same screws used by Leupold but will fit many other brands of rings and bases.



Attributes

- Name: [BROWNELLS TORX HEAD RING SCREWS, 8-40 THREAD, .280" LENGTH, BLUE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078018828
- Mfr. No.:
- Delivery weight: 0.018kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806004412

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for LEUPOLD TORX SCREWS
- About Us

Safety Instruction Guide for LEUPOLD TORX SCREWS

Introduction

Thank you for choosing LEUPOLD TORX SCREWS. This guide provides essential safety instructions to ensure the safe use of these screws. Please read this guide carefully before installation and usage to avoid any potential hazards.

General Safety Guidelines

- Ensure that all tools used for installation are in good working condition.
- Keep screws out of reach of children and pets to prevent accidental ingestion or injury.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling screws.
- Inspect screws before use for any signs of damage or defects. Do not use damaged screws.
- Follow all local regulations regarding the disposal of metal products.

Specific Safety Precautions for Use

- Use only the recommended Torx driver to avoid stripping the screw heads.
- Do not exceed the recommended torque specifications when tightening screws, as this may lead to breakage or damage to the mounting surface.
- Avoid using screws in applications for which they were not designed. Ensure compatibility with your specific rings and bases.
- Do not modify screws in any way; alterations may compromise their integrity and safety.
- If you experience any difficulties during installation, stop and consult a professional.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools including a Torx driver and any other required equipment.
- Ensure the installation area is clean and free from debris.

2. Installation:

- Align the ring or base with the mounting surface.
- Insert the LEUPOLD TORX SCREW into the predrilled hole.
- Using the Torx driver, tighten the screw slowly until secure. Do not overtighten.
- Repeat the process for all screws in the kit.

3. Post Installation:

- Doublecheck all screws to ensure they are securely fastened.
- If applicable, perform a functionality test to ensure that the installation is stable and secure.

Disposal Instructions

- Dispose of any unused or damaged screws in accordance with local regulations for metal waste.
- Do not dispose of screws in regular household trash. Check with local waste management for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or further support, please refer to the manufacturer's website or contact your local retailer.

Thank you for your attention to these safety guidelines. Proper handling and installation of LEUPOLD TORX SCREWS will ensure a safe and effective experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk