

# AR-15 FRONT SIGHT DETENT SPRING - BROWNELLS BRN AR-15 FRONT SIGHT DETENT SPRING

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Front Sight Springs](#)

Put the zing back into the rifle you thought was past its prime. Manufactured to precise tolerances, these high quality, replacement springs help keep your AR-15 functioning properly. Great for emergency spares or for assembling a parts rifle. Available singly.



## Attributes

- Name: [BROWNELLS BRN AR-15 FRONT SIGHT DETENT SPRING](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078101127
- Mfr. No.:
- Colour: Silver
- Weapon type: AR-15
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806004702

## Item details

Made in USA

# Table of Contents

- Startpage
- AR15 Front Sight Detent Spring Safety Instructions
- About Us

# AR15 Front Sight Detent Spring Safety Instructions

## Introduction

Thank you for choosing the AR15 Front Sight Detent Spring by Brownells. This guide provides important safety instructions and information to ensure the safe use of this product. Please read this manual carefully before installation and use.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Store the product in a safe and dry place, out of reach of children and vulnerable individuals.
- Regularly inspect the product for signs of wear or damage before use.
- If you encounter any issues or concerns regarding the product, cease use immediately and seek assistance.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Ensure that the firearm is unloaded before working on any components.
- Follow all manufacturer guidelines for your AR15 to maintain safety during installation.
- Do not modify the spring or any related components beyond manufacturer specifications.
- Be aware of your surroundings and ensure that no one is in the line of fire when handling the firearm.

## Instructions for Installation and Usage

### 1. Preparation

- Gather necessary tools: screwdriver, pliers, and safety gear.
- Ensure the AR15 is unloaded and in a safe position.

### 2. Installation Steps

- Remove the existing front sight detent spring if applicable.
- Carefully insert the new AR15 Front Sight Detent Spring into the designated area.
- Ensure the spring is seated properly and securely in place.

### 3. PostInstallation Checks

- Verify that the spring functions correctly by testing the front sight.
- Check for any abnormal movement or misalignment.

### 4. Usage

- Regularly check the functionality of the front sight after installation.
- If any issues arise, consult a qualified gunsmith for further assistance.

## Disposal Instructions

- Dispose of any old or damaged springs in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local authorities for proper disposal methods for metal components.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the product, please refer to the manufacturer's contact information, which can typically be found on their official website or product packaging.

## **Conclusion**

Your safety is paramount when using the AR15 Front Sight Detent Spring. By following these guidelines, you can ensure a safe and effective experience with your firearm. Always remain vigilant and informed about product safety. Thank you for your attention to these important instructions.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)