

1911 PLUNGER DETENT ASSEMBLY - BRN 1911 PLUNGER DETENT ASSEMBLY, BLUED

[Handgun Parts](#) > [Frame Parts](#) > [Frame Hardware](#) > [Plunger Spring Assemblies](#)

U.S.-Made Parts For The 1911 Auto Pistol

Each and every part is U.S.-made, high-quality and guaranteed to fit and function just like the factory part.



Attributes

- Name: [BRN 1911 PLUNGER DETENT ASSEMBLY, BLUED](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078450234
- Mfr. No.:
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806004931

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1911 Plunger Detent Assembly](#)
- [About Us](#)

Safety Instruction Guide for 1911 Plunger Detent Assembly

Introduction

Thank you for choosing the 1911 Plunger Detent Assembly by Brownells. This product is designed to meet highquality standards and ensure a safe and effective function in your firearm. Please read this safety instruction guide carefully to understand how to use, install, and dispose of this product safely.

General Safety Guidelines

- Always handle firearms with care and ensure they are unloaded before installation or maintenance.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product for any damage or defects before use. Do not use if damaged.
- Follow all local laws and regulations regarding firearm parts and usage.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is in a safe condition before attempting to install the plunger detent assembly.
- Wear safety glasses to protect your eyes during installation.
- Use appropriate tools to avoid injury or damage to the product.
- Do not modify the assembly or use it in a manner not intended by the manufacturer.
- Be aware of the potential hazards associated with handling firearms, including accidental discharge.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools: a screwdriver and any other tools specified in the firearm's manual.

2. Installation Steps

- Locate the existing plunger detent assembly on your 1911 Auto.
- Remove the old assembly using the appropriate tool.
- Carefully install the new 1911 Plunger Detent Assembly by aligning it with the designated slots.
- Ensure that the Slide Stop Plunger, Safety Lock Plunger, and Plunger Spring are correctly positioned.
- Verify that all parts are securely in place and functioning properly.

3. Usage

- After installation, conduct a function check to ensure that the assembly operates as intended.
- Regularly inspect the assembly for wear and tear to maintain safety and functionality.

Disposal Instructions

- Dispose of any old or damaged parts in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management for proper disposal methods for firearm parts.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Plunger Detent Assembly, please refer to the manufacturer's contact information provided with your product packaging.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at