

1911 DISCONNECTOR STAKING TOOL

[Gunsmith Tools & Supplies](#) > [Handgun Tools](#) > [Staking Tools](#)

Eliminates Lateral Movement Of The Disconnecter For A Tighter, Cleaner Trigger Pull

Steel punch reduces the size of the disconnecter hole in the frame to prevent lateral movement of the disconnecter and help eliminate creep from the trigger pull. Use as part of any accurizing or trigger job to produce a smoother, more precise pull and cleaner release. Concave tip ensures controlled application of staking force by letting you use the tool with the disconnecter in place to help keep the tip centered on the frame hole.



Attributes

- Name: [1911 DISCONNECTOR STAKING TOOL](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080000691
- Mfr. No.:
- Make: 1911
- Delivery weight: 0.045kg
- Shipping height: 15mm
- Shipping width: 76mm
- Shipping length: 147mm
- UPC: 050806109735

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [1911 Disconnecting Staking Tool Safety Instructions](#)
- [About Us](#)

1911 Disconnecter Staking Tool Safety Instructions

Introduction

Thank you for choosing the 1911 Disconnecter Staking Tool. This tool is designed to enhance the accuracy and performance of your firearm by securely staking the disconnecter in place. To ensure safe and effective use, please read this safety instruction guide thoroughly.

General Safety Guidelines

- Always use the tool in accordance with the instructions provided.
- Keep the tool out of reach of children and unauthorized users.
- Inspect the tool for damage before each use. Do not use if damaged.
- Wear appropriate safety gear, including eye protection, when using the tool.
- Ensure that the firearm is unloaded and in a safe condition before performing any work.
- Be aware of your surroundings and ensure that no one is in the vicinity when using the tool.

Specific Safety Precautions for Use

- Use the tool only for its intended purpose: to stake the disconnecter in a 1911 frame.
- Avoid excessive force when using the tool to prevent damage to the frame or disconnecter.
- Do not modify the tool in any way, as this can lead to unsafe conditions.
- Always ensure that the concave tip is centered on the disconnecter hole to maintain control during application.
- If you are inexperienced or unsure about using this tool, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is unloaded and the work area is clean and organized.
- Gather all necessary tools and safety equipment.

2. Using the Tool:

- Position the disconnecter in the frame.
- Align the tip of the staking tool with the disconnecter hole in the frame.
- Apply gentle pressure to ensure the tip is centered.
- Gradually apply force to stake the disconnecter. Do not use excessive force.
- Check the stability of the disconnecter after staking to ensure it is secure.

3. PostUse:

- Clean the tool after use to maintain its condition.
- Store the tool in a safe place, away from children and unauthorized users.

Disposal Instructions

- Dispose of the tool in accordance with local regulations.
- Do not dispose of the tool in regular household waste if it is damaged or broken. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the 1911 Disconnect Staking Tool, please consult the manufacturer or your local dealer.

By following these safety instructions, you can ensure a safe and effective experience while using the 1911 Disconnect Staking Tool. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at