

O-RING CLEANING JAGS - TCS .22 CAL. CLEANING JAG

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

Increases Patch Pressure On Bore For Improved Cleaning Action

Solid aluminum jags with rubber O-rings are ideal for cleaning the bore of your gun without worrying about damaging the rifling. O-rings press patch firmly into bore surface for efficient cleaning action on powder, lead, copper, and plastic fouling. For use with patches, steel wool, and bronze wool. Shotgun and Black Powder jags are color coded; Rifle/Handgun jags are numbered for easy identification. In order to use TCS Manufacturing jags, you must use round patches that are .015" thick.



Attributes

- Name: [TCS .22 CAL. CLEANING JAG](#)
- Manufacturer: [TCS](#)
- Product no.: 080000909
- Mfr. No.: J22RP
- Caliber: 22 Caliber
- Delivery weight: 0.007kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 689466088809

Item details

Made in USA

Table of Contents

- Startpage
- ORING CLEANING JAGS TCS .22 CAL. CLEANING JAG Safety Instruction Guide
- About Us

ORING CLEANING JAGS TCS .22 CAL. CLEANING JAG Safety Instruction Guide

Introduction

Thank you for choosing the ORING CLEANING JAGS TCS .22 CAL. CLEANING JAG. This product is designed to help you efficiently clean the bore of your gun while ensuring the safety of both the user and the firearm. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Ensure that you are familiar with the operation and maintenance of your firearm before using the cleaning jag.
- Always handle firearms with care and follow all safety protocols associated with firearm usage.
- Keep cleaning jags and all cleaning supplies out of reach of children and vulnerable individuals.
- Inspect the cleaning jag before each use to ensure it is in good condition and free from damage.
- Do not use the cleaning jag if it appears to be damaged or defective.
- Follow the manufacturer's recommendations for cleaning materials to avoid potential hazards.

Specific Safety Precautions for Use

- Use only round patches that are .015" thick with the TCS Manufacturing jags to ensure proper fit and function.
- Do not apply excessive force when using the cleaning jag to prevent damage to the firearm's bore.
- Always clean the firearm in a wellventilated area to avoid inhalation of cleaning solvents or residues.
- Avoid using the cleaning jag with any materials that are not specified by the manufacturer, such as noncompatible cleaning pads or tools.
- Be cautious when using steel wool or bronze wool; these materials can scratch or damage the bore if used improperly.
- Ensure that the firearm is unloaded and pointed in a safe direction before cleaning.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded. Check the chamber and magazine to confirm there are no rounds present.
- Gather all necessary cleaning supplies, including patches, cleaning solvent, and the cleaning jag.

2. Attaching the Cleaning Jag:

- Select the appropriate cleaning jag based on the caliber of your firearm.
- Attach the cleaning jag to the cleaning rod by screwing it onto the male threads. Ensure it is securely fastened.

3. Using the Cleaning Jag:

- Take a round patch that is .015" thick and place it over the cleaning jag.
- Gently press the patch into the bore surface of the firearm. The rubber Orings will help hold the patch in place.
- Insert the cleaning jag into the bore and move it back and forth to clean the interior surfaces. Use a smooth, gentle motion to avoid damaging the rifling.
- After cleaning, remove the cleaning jag and patch from the bore.

4. PostCleaning:

- Inspect the bore visually to ensure it is clean.
- Dispose of used patches and cleaning materials according to local regulations.
- Store the cleaning jag and other supplies in a safe place, away from children and unauthorized users.

Disposal Instructions

- Dispose of used cleaning patches and materials in accordance with local waste disposal regulations.
- Do not dispose of cleaning solvents or chemicals in regular trash or down the drain unless specified by the product's safety data sheet.
- Recycle packaging materials where possible.

Contact Information for Further Support

For any safety inquiries or additional support regarding the ORING CLEANING JAGS TCS .22 CAL. CLEANING JAG, please refer to the manufacturer's contact information provided with your product packaging.

By following these guidelines, you can ensure a safe and effective cleaning experience with your ORING CLEANING JAGS TCS .22 CAL. CLEANING JAG. Always prioritize safety and proper handling of firearms and cleaning tools. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk