

O-RING CLEANING JAGS - TCS .270/6.8MM CLEANING JAG

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

Increases Patch Pressure On Bore For Improved Cleaning Action

Solid aluminum jags with rubber O-rings are ideal for cleaning the bore of your gun without worrying about damaging the rifling. O-rings press patch firmly into bore surface for efficient cleaning action on powder, lead, copper, and plastic fouling. For use with patches, steel wool, and bronze wool. Shotgun and Black Powder jags are color coded; Rifle/Handgun jags are numbered for easy identification. In order to use TCS Manufacturing jags, you must use round patches that are .015" thick.



Attributes

- Name: [TCS .270/6.8MM CLEANING JAG](#)
- Manufacturer: [TCS](#)
- Product no.: 080000914
- Mfr. No.: J27068MM
- Caliber: 270 Caliber,6.8mm
- Delivery weight: 0.009kg
- Shipping height: 5mm
- Shipping width: 79mm
- Shipping length: 183mm

Item details

Made in USA

Table of Contents

- Startpage
- ORING CLEANING JAGS TCS .270/6.8MM CLEANING JAG Safety Instruction Guide
- About Us

ORING CLEANING JAGS TCS .270/6.8MM CLEANING JAG Safety Instruction Guide

Introduction

Thank you for choosing the ORING CLEANING JAGS TCS .270/6.8MM CLEANING JAG. This product is designed to help you effectively clean the bore of your firearm while ensuring the safety of both the user and the equipment. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Always use the ORING CLEANING JAGS in accordance with the manufacturer's instructions.
- Ensure that the cleaning jag is compatible with your firearm's caliber before use.
- Store the cleaning jag out of reach of children and vulnerable individuals.
- Inspect the cleaning jag for any signs of damage or wear before each use. Do not use if damaged.
- Always handle firearms responsibly and in accordance with local laws and regulations.

Specific Safety Precautions for Use

- Use only round patches that are .015" thick with the TCS Manufacturing jags.
- Avoid using excessive force when inserting or removing the cleaning jag from the bore.
- Do not use the cleaning jag with incompatible cleaning materials, such as those not specified in the product text (e.g., avoid using harsh chemicals).
- Ensure that the firearm is unloaded before cleaning to prevent accidental discharge.
- Always point the firearm in a safe direction while cleaning.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded. Check the chamber and magazine.
- Gather necessary cleaning materials: patches, steel wool, or bronze wool.

2. Attaching the Cleaning Jag:

- Select the appropriate cleaning jag based on your firearm's caliber (e.g., .270 or 6.8mm).
- Attach the cleaning jag to your cleaning rod, ensuring it is securely fastened.

3. Using the Cleaning Jag:

- Take a round patch that is .015" thick and press it firmly into the rubber O-ring of the cleaning jag.
- Insert the cleaning jag into the bore of the firearm gently, ensuring that it fits snugly.
- Move the cleaning jag back and forth to effectively clean the bore, focusing on areas with fouling.

4. After Cleaning:

- Remove the cleaning jag from the bore carefully.
- Inspect the patch for fouling, and repeat the cleaning process if necessary.
- Clean and store the cleaning jag in a safe place after use.

Disposal Instructions

- Dispose of used patches and cleaning materials in accordance with local waste disposal regulations.
- Do not dispose of the cleaning jag in regular household waste if it is damaged. Contact local authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the ORING CLEANING JAGS TCS .270/6.8MM CLEANING JAG, please refer to the manufacturer's contact information provided on the product packaging or official website.

By following these guidelines and precautions, you can ensure a safe and effective cleaning experience with your ORING CLEANING JAGS TCS .270/6.8MM CLEANING JAG. Thank you for prioritizing safety while maintaining your firearm.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk