

DOVETAIL SIGHT PUNCHES - BROWNEllS DOVETAIL REAR SIGHT DRIFT PUNCH .480" BASE WIDTH BRASS

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Punches](#)

Non-Marring Brass Punches Purpose Designed For Sight Work

DOVETAIL SIGHT PUNCHES The Brownells Dovetail Sight Punch is a specialized tool designed for the installation, removal, and adjustment of front and rear handgun sights. Crafted from brass, it ensures that your firearm's sights and finish remain unmarred during gunsmithing tasks. **Description and Features:** Unique Triangular Punch Faces: The punch features a triangular face that provides optimal contact with the sight, allowing for precise adjustments without slipping. Heavy-Duty Brass Construction: Made from durable brass, the punch is robust enough to handle stubborn sights while being soft enough to prevent damage to your firearm. **Versatile Application:** Suitable for both front and rear dovetail sights, making it a versatile addition to any gunsmith's toolkit. **Available Variations:** Brownells offers the Dovetail Sight Punch in several configurations to accommodate different firearm models and user preferences: **Front Sight Punch:** Approximately 0.280" base width, ideal for front sight adjustments. **Rear Sight Punch:** Approximately 0.480" base width, designed for rear sight adjustments. **Kit:** Includes both front and rear sight punches for comprehensive sight adjustment capabilities. **Specifications:** **Material:** Brass **Base Widths:** Front Sight Punch: ~0.280" Rear Sight Punch: ~0.480" **Customer Insights:** Our customers report that the Brownells Dovetail Sight Punch is an indispensable tool for gunsmiths and firearm enthusiasts. The brass construction prevents marring of sights and slides, and the unique triangular face allows for precise adjustments. Customers appreciate the availability of different sizes to match various sight profiles, enhancing the tool's versatility. Incorporating the Brownells Dovetail Sight Punch into your gunsmithing toolkit ensures you have the right tool for safe and effective sight adjustments, preserving the integrity and appearance of your firearm.



Attributes

- Name: [BROWNEllS DOVETAIL REAR SIGHT DRIFT PUNCH .480" BASE WIDTH BRASS](#)
- Manufacturer: [BROWNEllS](#)
- Product no.: 080001139
- Mfr. No.: DTRSP
- Material: Brass
- Size: .480"
- Style: Drift
- Delivery weight: 0.138kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 159mm
- UPC: 050806007437

Item details

Made in USA

Table of Contents

- Startpage
- DOVETAIL SIGHT PUNCH SAFETY INSTRUCTIONS
- About Us

DOVETAIL SIGHT PUNCH SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Dovetail Sight Punch from Brownells. This tool is specifically designed for the installation, removal, and adjustment of front and rear handgun sights. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always handle the Dovetail Sight Punch with care to prevent injury.
- Ensure the work area is clean and free of obstructions to prevent accidents.
- Use the tool only for its intended purpose, which is to install, remove, and adjust handgun sights.
- Keep the tool out of reach of children and unauthorized users.
- Regularly inspect the punch for any signs of wear or damage before use.
- If the punch becomes damaged, discontinue use immediately and replace it.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Wear safety goggles to protect your eyes from potential flying debris during use.
- Use gloves to protect your hands from sharp edges and to maintain a secure grip.
- Ensure the firearm is unloaded and pointed in a safe direction before using the punch.
- Do not use excessive force when using the punch, as this may cause damage to the tool or firearm.
- Be cautious of the punch slipping during use; ensure a stable grip and proper alignment.
- Avoid using the punch in wet or damp conditions to prevent slipping.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and in a safe position.
- Gather all necessary tools and materials, including the Dovetail Sight Punch.

2. Using the Sight Punch:

- Select the appropriate punch based on the size of the sight to be adjusted:
 - Front Sight Punch: Base width approximately .280"
 - Rear Sight Punch: Base width approximately .480"
 - Small Dovetail Sight Punch (sold separately): Base width .230"
- Align the punch with the sight you wish to adjust.
- Apply gentle, controlled pressure to the punch to adjust the sight.
- If necessary, reground the punch to maintain a square flat after multiple uses.

3. Post Use:

- After use, clean the punch to remove any debris or residue.
- Store the punch in a safe, dry place away from children and pets.

Disposal Instructions

- Dispose of the Dovetail Sight Punch in accordance with local regulations.
- If the punch is damaged beyond repair, consider recycling the brass material where possible.

- Do not dispose of the punch in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety or product usage, please refer to the product packaging for contact details or consult the retailer from whom you purchased the Dovetail Sight Punch.

By following these safety instructions, you will ensure a safer experience while using the Dovetail Sight Punch. Thank you for prioritizing safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk