

RIFLE POLISHING SYSTEM - BROWNELLS 22 MAGNUM 800 GRIT CHAMBER HONE

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Stones](#)

Cures Sticky Extraction For Fast, Reliable Cycling

Abrasive silicon carbide balls polish rough or scored chambers smooth and friction free in only minutes. Helps cure sticky extraction for faster, more reliable cycling. Use Flex Hone Oil Only. [View Flex-Hone PDF Here](#)



Attributes

- Name: [BROWNELLS 22 MAGNUM 800 GRIT CHAMBER HONE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080001177
- Mfr. No.: 08305
- Make: -
- Style: -
- Delivery weight: 0.023kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 241mm
- UPC: 050806007512

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for RIFLE POLISHING SYSTEM BROWNELLS 22 MAGNUM 800 GRIT CHAMBER HONE](#)
- [About Us](#)

Safety Instruction Guide for RIFLE POLISHING SYSTEM BROWNELLS 22 MAGNUM 800 GRIT CHAMBER HONE

Introduction

Thank you for choosing the RIFLE POLISHING SYSTEM BROWNELLS 22 MAGNUM 800 GRIT CHAMBER HONE. This guide provides essential safety instructions and usage information to ensure safe and effective operation of the product. Please read this guide thoroughly before using the product.

General Safety Guidelines

- Always ensure you are using the product in a wellventilated area.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all manufacturer instructions carefully to avoid accidents.
- Regularly check for any signs of wear or damage to the product.
- Do not use the product for purposes other than those intended.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):**
 - Always wear safety goggles to protect your eyes from debris.
 - Use gloves to prevent skin irritation from abrasives and oils.
- **Handling Abrasive Materials:**
 - Avoid direct contact with abrasive silicon carbide balls.
 - Do not inhale dust generated during use; use a mask if necessary.
- **Use of Flex Hone Oil:**
 - Only use Flex Hone Oil as specified. Other oils may cause damage or unsafe conditions.
- **Proper Usage:**
 - Ensure the chamber hone is securely attached to the drill before use.
 - Do not exceed the recommended speed settings on your drill.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and safe before beginning any work.
- Clean the chamber area to remove any debris or obstructions.

2. Installation:

- Attach the chamber hone to the drill's chuck securely.
- Confirm that the hone is compatible with the shank length of your specific caliber:
 - .223/5.56 8" (20cm) long shank.
 - .38/.357/.44/.45 14" (35.5cm) long shank.

3. Application:

- Apply a small amount of Flex Hone Oil to the abrasive balls.
- Insert the hone into the chamber and operate the drill at the recommended speed.
- Move the hone in and out of the chamber smoothly to polish the surface.
- Monitor the process closely to avoid overpolishing.

4. Finishing:

- After polishing, clean the chamber thoroughly to remove any remaining abrasive particles and oil.
- Inspect the chamber for smoothness and ensure there are no visible scratches or damage.

Disposal Instructions

- Dispose of any used or damaged abrasive materials in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check with local authorities for appropriate disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the RIFLE POLISHING SYSTEM BROWNELLS 22 MAGNUM 800 GRIT CHAMBER HONE, please contact the manufacturer or your local distributor for assistance.

Thank you for your attention to these safety instructions. Following these guidelines will help ensure a safe and effective experience with your product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk