

STAINLESS STEEL SIGHT BASE SCREWS - BROWNELL'S 6-40X1/2" FILLISTER HEAD SS SCREW REFILL 24 PACK

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Replacement Sight Screws](#)

#6 & #8 Screws For Ribs, Rings & Bases

Two dozen each of six styles/sizes in a plastic bench box. Full spec. card. 1/2" long, trim to fit as needed. 18-8 stainless steel.

6-40x1/2" Fillister Head Stainless Steel Screw Refill Pak



Attributes

- Name: [BROWNELL'S 6-40X1/2" FILLISTER HEAD SS SCREW REFILL 24 PACK](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 080049640
- Mfr. No.:
- Color: -
- Delivery weight: 0.027kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806012080

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Stainless Steel Sight Base Screws
- About Us

Safety Instruction Guide for Stainless Steel Sight Base Screws

Introduction

Thank you for choosing the Stainless Steel Sight Base Screws by Brownells. This guide provides important safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before use.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any signs of damage or defects before use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Use only as specified for sight base applications.
- Avoid contact with sharp edges to prevent injury.
- Wear appropriate safety gear, such as gloves and safety glasses, when handling and installing screws.
- Ensure that all tools used for installation are in good condition and suitable for the task.
- Do not use screws that show signs of corrosion or wear.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a screwdriver compatible with the fillister head.
- Ensure the work area is clean and welllit.

2. Installation:

- Align the sight base with the mounting holes on the firearm.
- Insert the stainless steel screw into the designated hole.
- Using the screwdriver, tighten the screw gently until secure. Do not overtighten, as this may damage the sight base or screw.

3. PostInstallation Check:

- After installation, check that the sight base is securely attached and that the screws are tight.
- Perform a visual inspection to ensure there are no loose parts.

Disposal Instructions

- Dispose of any unused or damaged screws in accordance with local regulations.
- Do not dispose of screws in regular household waste if they contain hazardous materials.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any questions or concerns regarding the safety or usage of this product, please reach out to the manufacturer's customer service or consult the product's official website for further assistance.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk