

STAINLESS STEEL SIGHT BASE SCREWS - BROWNELL'S 6-48X1/2" FILLISTER HEAD SS SCREW REFILL 24 PACK

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Replacement Sight Screws](#)

#6 & #8 Screws For Ribs, Rings & Bases

Two dozen each of six styles/sizes in a plastic bench box. Full spec. card. 1/2" long, trim to fit as needed. 18-8 stainless steel.

6-48x1/2" Fillister Head Stainless Steel Screw Refill Pak



Attributes

- Name: [BROWNELL'S 6-48X1/2" FILLISTER HEAD SS SCREW REFILL 24 PACK](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 080049648
- Mfr. No.:
- Color: -
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806012097

Item details

Made in USA

Table of Contents

- Startpage
- Stainless Steel Sight Base Screws Safety Instructions
- About Us

Stainless Steel Sight Base Screws Safety Instructions

Introduction

Thank you for purchasing the Stainless Steel Sight Base Screws by Brownells. This product is designed for the replacement of sight screws in firearms. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Inspect the screws for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the screws are compatible with your firearm model before installation.
- Use appropriate tools for installation to prevent injury or damage.
- Avoid overtightening the screws, as this may lead to stripping or damage.
- Wear safety goggles when working on firearms to protect your eyes from debris.
- If you are unsure about the installation process, seek assistance from a qualified professional.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: screwdriver compatible with fillister head screws.
- Ensure that the firearm is unloaded and in a safe condition before beginning work.

2. Installation:

- Identify the correct location for the new screws.
- Align the screws with the predrilled holes in the sight base.
- Using the screwdriver, carefully insert the screws into the holes.
- Tighten the screws gently until secure, but do not overtighten.

3. Post Installation:

- Check that the screws are securely fastened and that the sight is stable.
- Test the function of the sight to ensure proper alignment and operation.

4. Maintenance:

- Regularly inspect the screws for signs of wear or loosening.
- Replace any damaged screws immediately to maintain safety.

Disposal Instructions

- Dispose of any unused or damaged screws in accordance with local regulations.
- Do not dispose of screws in regular household waste. Check for local recycling programs or hazardous

waste disposal options.

Contact Information for Further Support

For any safety inquiries or support related to this product, please consult the manufacturer's website or customer service resources.

By following these guidelines, you can ensure the safe and effective use of the Stainless Steel Sight Base Screws. Thank you for your attention to safety and for choosing Brownells.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk