

# INTERCEPTOR LATCH SPRING REMOVER

[Gunsmith Tools & Supplies](#) > [Shotgun Tools](#) > [Shotgun Specialty Tools](#)

Use to push back the swaged metal holding the Interceptor Latch Spring in place.



## Attributes

- Name: [INTERCEPTOR LATCH SPRING REMOVER](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080187202
- Mfr. No.:
- Make: Remington
- Material: Steel
- Model: 11-87,1100,870
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 76mm
- Shipping length: 196mm
- UPC: 050806101500

## Item details

Made in USA

# Table of Contents

- Startpage
- INTERCEPTOR LATCH SPRING REMOVER Safety Instruction Guide
- About Us

# INTERCEPTOR LATCH SPRING REMOVER Safety Instruction Guide

## Introduction

Thank you for choosing the INTERCEPTOR LATCH SPRING REMOVER. This tool is designed to safely assist in the removal of the Interceptor Latch Spring. Please read this safety instruction guide carefully to ensure proper use and to minimize risks associated with its use.

## General Safety Guidelines

- Always read and follow the manufacturer's instructions before using the tool.
- Ensure that the work area is clean, welllit, and free of any hazards.
- Use the tool for its intended purpose only, as described in this guide.
- Keep the tool out of reach of children and vulnerable individuals.
- Regularly inspect the tool for any signs of damage or wear before use.
- In case of any malfunction, discontinue use immediately and seek assistance.

## Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), including safety goggles and gloves, to protect against flying debris and sharp edges.
- Do not use excessive force when operating the tool; this may lead to damage or injury.
- Ensure that the tool is securely positioned before use to avoid slipping or sudden movements.
- Be cautious of your hands and fingers when using the tool to prevent pinching.
- Keep your body and other persons clear of the tool's operating area.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the work area is clean and organized.
- Gather all necessary tools and materials before starting.

### 2. Using the Tool:

- Position the INTERCEPTOR LATCH SPRING REMOVER against the swaged metal holding the Interceptor Latch Spring.
- Apply steady pressure to push back the swaged metal. Ensure your hands are clear of the tool's path.
- Once the spring is released, carefully remove it from its position.

### 3. After Use:

- Clean the tool after each use to remove any debris or residue.
- Store the tool in a safe and dry location, out of reach of children.

## Disposal Instructions

- Dispose of the tool responsibly at the end of its life cycle, following local regulations for metal and tool disposal.
- Do not dispose of the tool in regular household waste.

## Contact Information for Further Support

For any safety inquiries or support related to the INTERCEPTOR LATCH SPRING REMOVER, please contact your local distributor or the manufacturer directly. Ensure you have the product model and any relevant details available when seeking assistance.

By following these safety guidelines and instructions, you can ensure a safer experience while using the INTERCEPTOR LATCH SPRING REMOVER. Thank you for prioritizing safety and responsible tool use.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)