

# SHOTGUN BEAD FACING CUTTER - #6 STD SHANK SHOTGUN BEAD FACING CUTTER .140" DIAMETER

[Gunsmith Tools & Supplies](#) > [Shotgun Tools](#) > [Shotgun Sight Tools](#)

## Trims Away The Last "Whisker" For A Squared-Up Sight Installation

No more tilted, sloppy looking, half square front sight beads. Faces-off the base of "Bradley"-style (Bev-L-Blok, Raybar, Sunspot, etc.) beads so they end up straight and square to the center of the rib or barrel when tightened. Six-bladed cutter with precisely drilled hollow center accepts bead shank. Turning the handle trims base of the bead at a true 90° angle that's absolutely square with the shank.



## Attributes

- Name: [#6 STD SHANK SHOTGUN BEAD FACING CUTTER .140" DIAMETER](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080517006
- Mfr. No.:
- Make: Universal Shotguns
- Delivery weight: 0.068kg
- Shipping height: 13mm
- Shipping width: 71mm
- Shipping length: 145mm
- UPC: 050806010390

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [SHOTGUN BEAD FACING CUTTER Safety Instruction Guide](#)
- [About Us](#)

# SHOTGUN BEAD FACING CUTTER Safety Instruction Guide

## Introduction

Thank you for choosing the SHOTGUN BEAD FACING CUTTER #6 STD SHANK. This tool is designed to provide precision when facing off the base of shotgun sight beads. To ensure safe and effective use, please read and follow these safety instructions carefully.

## General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Keep the tool out of reach of children and vulnerable individuals.
- Inspect the tool for any damage or wear before use. Do not use if damaged.
- Use appropriate personal protective equipment (PPE), such as safety glasses and gloves, during operation.
- Do not exceed the manufacturer's recommended specifications for the tool.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the work area is clean and welllit to avoid accidents.
- Always secure the shotgun bead in place before using the cutter.
- Use the cutter only for its intended purpose; do not modify or misuse the tool.
- Avoid placing fingers or hands near the cutting area during operation.
- Always turn the handle in the correct direction to prevent accidents.
- If using the tool for extended periods, take regular breaks to avoid fatigue.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure the shotgun is unloaded and pointed in a safe direction.

### 2. Installing the Bead:

- Choose the appropriate bead for your shotgun and ensure it is compatible with the cutter.
- Insert the bead shank into the hollow center of the cutter until it is securely in place.

### 3. Using the Cutter:

- Hold the cutter firmly with one hand and turn the handle with the other hand.
- Apply steady pressure while turning to trim the base of the bead at a true 90° angle.
- Check the alignment frequently to ensure the bead is facing straight and square.

### 4. PostUse Care:

- Clean the cutter after use to remove any debris or residue.
- Store the tool in a dry, safe location, away from children and pets.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations.
- If the cutter is no longer usable, consider recycling it if possible.
- Do not dispose of the tool in household waste if it can be recycled.

## **Contact Information for Further Support**

For any questions or concerns regarding the SHOTGUN BEAD FACING CUTTER, please refer to the manufacturer's website or customer service for assistance.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your SHOTGUN BEAD FACING CUTTER. Thank you for your attention to safety!

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)