

SIGHT BASE SCREW KIT - BROWNELLS 6-48X7/16" FILLISTER HEAD SIGHT BASE SCREW REFILL 12 PACK

[Gunsmith Tools](#) > [Small Hardware](#) > [Metal Screws](#)

Slotted-Head Screws For All Scope & Sight Mounting Jobs

This Kit has been extremely popular with our customers for many years. The gunsmiths and dealers who do any type of sight work have found that they do not like to be without it. The slotted-head screws included in the kit cover at least 99% of all scope and iron sight mounting requirements. The Screw Kit is packed in a plastic box and contains 12 each of the most popular 18 screw sizes needed when working with scopes or sights. It also has a pair of chrome-plated tweezers with flat jaws for easily picking up the right screw and our handy, Checker/Shortener Jig that makes grinding screws to the right length fast and easy. The screws are made of high strength, forged tool steel, feature slotted-heads and are tempered and blued to rigid specifications. We suggest that should a screw need to be cut and fitted, it should be treated with rust-prohibitive OXPHO-BLUE™ before it is used to give it a highly rust-resistant, tough, blue coat to make your job look and wear better. The kit is available to you at a very substantial savings over the cost of buying the screws singly. It is an opportunity to have just the right, hard-to-find sight base screw when you need it, for only a minimal cost ... an advantage that will pay for itself time after time in repair or installation jobs.



Attributes

- Name: [BROWNELLS 6-48X7/16" FILLISTER HEAD SIGHT BASE SCREW REFILL 12 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080535647
- Mfr. No.:
- Size: Fillister Head Screws
- Quantity: 12
- Delivery weight: 0.014kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806015203

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SIGHT BASE SCREW KIT BROWNELLS 648X7/16" FILLISTER HEAD SIGHT BASE SCREW REFILL 12 PACK
- About Us

Safety Instruction Guide for SIGHT BASE SCREW KIT BROWNELLS 648X7/16" FILLISTER HEAD SIGHT BASE SCREW REFILL 12 PACK

Introduction

Thank you for choosing the SIGHT BASE SCREW KIT by BROWNELLS. This guide provides essential safety instructions and guidelines to ensure safe usage of the product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to assist in the installation and maintenance of sights on firearms.
- Always work in a welllit and organized area to prevent accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the screws for any signs of wear or damage before use.
- If you experience any issues with the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- When handling screws, be cautious of sharp edges that may cause injury.
- Use the included chromeplated tweezers for easy handling of screws to avoid direct contact with fingers.
- Always wear appropriate safety gear, such as safety glasses, when working on firearms.
- Ensure that all tools used in conjunction with the screw kit are in good working condition.
- Do not modify the screws beyond the recommended specifications, as this may compromise safety.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including the SIGHT BASE SCREW KIT, tweezers, and any other tools required for your specific sight installation.
- Ensure that the firearm is unloaded and in a safe condition before beginning any work.

2. Selecting the Right Screw

- Use the provided plastic box to identify and select the appropriate screw size for your sight installation.
- Refer to the metric equivalents for screw lengths to ensure correct sizing:
 - 5/32" (4.0mm)
 - 3/16" (4.8mm)
 - 1/4" (6.3mm)
 - 5/16" (7.9mm)
 - 3/8" (9.5mm)
 - 7/16" (11.1mm)
 - 1/2" (12.7mm)

3. Cutting and Fitting Screws

- If a screw needs to be cut, use the Checker/Shortener Jig included in the kit to achieve the desired length.
- Treat the cut screw with rustprohibitive OXPHOBLUE™ before installation to enhance rust

resistance.

4. Installation

- Align the sight base with the mounting holes on the firearm.
- Insert the selected screw into the appropriate hole and tighten securely, ensuring not to overtighten, which may damage the sight or firearm.
- Repeat for all screws required for the sight installation.

5. PostInstallation Check

- After installation, doublecheck all screws to ensure they are secure.
- Perform a functional test of the sight to ensure proper alignment and operation.

Disposal Instructions

- Dispose of any unused screws or damaged parts in accordance with local regulations.
- Do not dispose of screws in regular household waste. Check with local authorities for hazardous waste disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the SIGHT BASE SCREW KIT, please refer to the manufacturer's website or contact their customer service department.

By following these guidelines, you can ensure a safe and effective experience when using the SIGHT BASE SCREW KIT. Thank you for your attention to safety, and enjoy your work with this essential tool.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk