

STOCK REPAIR PIN KIT

[Gunsmith Tools & Supplies](#) > [Stock Work & Finishing](#) > [Stock Repair Products](#) > [Stock Repair Pins](#)

Use With ACRAGLAS~, ACRA-QUICK? or ACRA-20? For Stronger-Than-New Repairs On Cracked/Split Stocks

With this Kit, plus ACRAGLAS and a vari-speed drill, you can do quick, easy, sure-to-hold repair jobs on cracked or broken stocks. Pins go in easily, won't further split the stock; cannot pull or shoot out; can be cut off at any length. Made of "half- hard" brass alloy. 60° flat-top threads for best holding. After broken surfaces are coated with ACRAGLAS and clamped tightly, drill pin hole with drill provided. Coat pin with ACRAGLAS also, and run it into hole with vari-speed drill at slow speed. After cured, cut off and dress ends.



Attributes

- Name: [STOCK REPAIR PIN KIT](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080565000
- Mfr. No.:
- Delivery weight: 0.113kg
- Shipping height: 8mm
- Shipping width: 79mm
- Shipping length: 147mm
- UPC: 050806103474

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [STOCK REPAIR PIN KIT Safety Instruction Guide](#)
- [About Us](#)

STOCK REPAIR PIN KIT Safety Instruction Guide

Introduction

Thank you for choosing the STOCK REPAIR PIN KIT. This guide provides essential safety instructions and usage guidelines to ensure your safe and effective use of the product. Please read this manual carefully before using the kit.

General Safety Guidelines

- Ensure that you read and understand all instructions before using the STOCK REPAIR PIN KIT.
- Keep the kit out of reach of children and vulnerable individuals.
- Use the kit only for its intended purpose as described in this manual.
- Always wear appropriate safety gear, including safety glasses and gloves, when using power tools.
- Inspect the product and tools for any damage before use. Do not use damaged items.
- Follow all local regulations and guidelines related to the use of tools and repair kits.

Specific Safety Precautions for Use

- Avoid inhaling dust or debris generated during drilling or cutting.
- Always secure the workpiece in a stable position before drilling.
- Do not exceed the recommended speed settings on the varispeed drill.
- Ensure that your hands and body are clear of the drill bit and cutting area during operation.
- Be cautious of sharp edges and points on the pins after cutting.
- Do not modify the STOCK REPAIR PIN KIT or its components in any way.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary materials, including ACAGLAS and a varispeed drill.
- Ensure your work area is clean, welllit, and free of clutter.

2. Coating the Broken Surface:

- Apply ACAGLAS to the broken surfaces of the stock that need repair.
- Clamp the stock tightly to ensure a secure bond.

3. Drilling the Pin Hole:

- Use the drill provided in the kit to create a hole for the repair pin.
- Ensure the drill is set to a slow speed to avoid damage.

4. Inserting the Repair Pin:

- Coat the repair pin with ACAGLAS before insertion.
- Carefully run the pin into the hole using the varispeed drill at a slow speed.

5. Finishing Up:

- Allow the ACAGLAS to cure completely as per the manufacturer's instructions.
- Once cured, cut off any excess pin length and dress the ends to avoid sharp edges.

Disposal Instructions

- Dispose of any unused or expired components of the STOCK REPAIR PIN KIT in accordance with local regulations.
- Do not dispose of the product in household waste. Check for local recycling options.

Contact Information for Further Support

For any safety inquiries, product support, or to report unsafe products, please refer to the appropriate EU contact point or your local authority.

Thank you for prioritizing safety while using the STOCK REPAIR PIN KIT. Your adherence to these guidelines helps ensure a safe and effective repair process.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at