

# 1911 STOCK SCREWS - 1911 STANDARD STOCK SCREWS BLUED 24 PACK

[Handgun Parts](#) > [Frame Parts](#) > [Frame Hardware](#) > [Frame Screws](#)

## Made to Original Factory Specs For Easy Replacement

The 1911 Government model auto is about as rugged as a mountain mule, but when you take the grips off to polish and reblue the critter or put on another set of grips, chances are that at least one of the stock screws will need replacing. Standard Stock Screws - Nicely made and finished, these specialized, blued screws are packed in sets of 4 Screws. Stainless Steel (S/S) Stock Screws - Look "right" on stainless steel and nickel-plated guns.



## Attributes

- Name: [1911 STANDARD STOCK SCREWS BLUED 24 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080569412
- Mfr. No.:
- Make: 1911
- Model: Government, Commander, Officers
- Delivery weight: 0.032kg
- Shipping height: 10mm
- Shipping width: 97mm
- Shipping length: 127mm
- UPC: 050806015814

## Item details

Made in USA

# Table of Contents

- Startpage
- 1911 Stock Screws Safety Instruction Guide
- About Us

# 1911 Stock Screws Safety Instruction Guide

## Introduction

Thank you for choosing the 1911 Stock Screws. This guide provides essential safety instructions and information to ensure the safe use and installation of the product. Please read this guide carefully before use.

## General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the instructions provided.
- Check for any visible damage or defects before use. Do not use damaged screws.
- Keep the screws and all related tools out of reach of children and vulnerable individuals.
- Always wear appropriate safety gear, such as gloves and eye protection, when handling tools and screws.
- Be aware of your surroundings when working on firearms to prevent accidents.

## Specific Safety Precautions for Use

- Use only the recommended tools for installation to avoid damaging the screws or the firearm.
- Ensure that the firearm is unloaded and pointed in a safe direction before beginning any work.
- Do not overtighten the screws, as this may strip the threads or damage the stock.
- If you experience resistance while installing the screws, stop and check for misalignment or debris in the threads.
- Do not use screws that show signs of corrosion or wear, as this may compromise their integrity.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools, including a screwdriver compatible with the screw heads.
- Ensure the firearm is unloaded and in a safe working environment.

### 2. Removal of Old Screws

- Use the appropriate screwdriver to carefully remove the existing stock screws.
- Set the old screws aside for disposal or recycling.

### 3. Installation of New Screws

- Align the new stock screws with the predrilled holes in the stock.
- Handtighten the screws initially to ensure proper alignment.
- Use the screwdriver to tighten the screws gradually. Do not overtighten.
- Check the stability of the stock after installation.

### 4. Final Inspection

- Inspect the installation to ensure that all screws are secure and the stock is properly attached.
- Clean any debris or dust from the firearm.

## Disposal Instructions

- Dispose of any old screws in accordance with local regulations.
- Recycle materials whenever possible to minimize environmental impact.

## Contact Information for Further Support

For any safety inquiries or concerns regarding the 1911 Stock Screws, please contact the manufacturer or your local distributor. Ensure that you have the product details ready for efficient assistance.

## Conclusion

Following these safety instructions will help ensure a safe and effective installation of your 1911 Stock Screws. Always prioritize safety and consult a professional if you are unsure about any procedures. Thank you for your attention to these important guidelines.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)