

# 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP - 1911 45 CALIBER OVERSIZED STOCK BUSHINGS 24 PACK

[Gunsmith Tools & Supplies](#) > [General Gunsmith Tools](#) > [Taps & Dies](#) > [Taps](#)

## Professionally And Easily Replace Stripped-Out Bushing Holes-No Welding Or Drilling

Easily and professionally solves the problem of stripped out stock bushing holes. Special tap cleans out stripped frame threads, cuts new ones without pre-drilling. Matching bushing screws right in, uses original grip screw. Will save your life when polishing/bluing, accurizing .45's!



## Attributes

- Name: [1911 45 CALIBER OVERSIZED STOCK BUSHINGS 24 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080572025
- Mfr. No.:
- Make: 1911
- Material: -
- Model: -
- Style: -
- Delivery weight: 0.032kg
- Shipping height: 28mm
- Shipping width: 81mm
- Shipping length: 109mm
- UPC: 050806015869

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP
- About Us

# Safety Instruction Guide for 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP

## Introduction

Thank you for choosing the 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP. This product is designed to provide a professional solution for repairing stripped stock bushing holes in 1911 .45 caliber firearms. To ensure safe and effective use, please read and follow these safety instructions carefully.

## General Safety Guidelines

- Always read the product manual before use.
- Use the product only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any damage before use. Do not use if damaged.
- Ensure you are wearing appropriate personal protective equipment (PPE) such as safety glasses and gloves when using this product.
- Be aware of your surroundings and ensure a safe working environment.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the firearm is unloaded and safe before starting any work.
- Use the special tap only with the appropriate tools and in a secure manner.
- Do not force the tap into the bushing holes; apply gentle and consistent pressure.
- Avoid contact with moving parts of the firearm during installation.
- Store the bushings and tap in a dry place to prevent rust and corrosion.
- Dispose of any broken or unusable parts according to local regulations.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is completely unloaded and safe.
- Gather all necessary tools, including the tap and bushings.

### 2. Cleaning the Bushing Holes

- Use the special tap to clean out any stripped frame threads.
- Insert the tap into the bushing hole and turn gently to clear debris.
- Do not predrill; the tap is designed to cut new threads without this step.

### 3. Installing the Bushings

- Take the matching bushing and align it with the cleaned hole.
- Use the original grip screw to secure the bushing in place.
- Ensure the bushing is fitted snugly and securely.

### 4. Final Checks

- Inspect the installation for any loose parts.
- Ensure that the firearm is reassembled properly and functions as intended.

## **Disposal Instructions**

- Dispose of any unused or damaged bushings and taps in accordance with local waste disposal regulations.
- Do not throw away in regular household waste; check for recycling options where available.

## **Contact Information for Further Support**

For any questions or concerns regarding the 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP, please refer to the product packaging for contact details of the manufacturer or check their official website for additional support.

By following these guidelines, you can ensure a safe and effective experience with your 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP. Thank you for your attention to safety.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)