

# 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP - 1911 45 CALIBER OVERSIZED STOCK BUSHINGS 48 PACK

[Gunsmith Tools & Supplies](#) > [General Gunsmith Tools](#) > [Taps & Dies](#) > [Taps](#)

## Professionally And Easily Replace Stripped-Out Bushing Holes-No Welding Or Drilling

Easily and professionally solves the problem of stripped out stock bushing holes. Special tap cleans out stripped frame threads, cuts new ones without pre-drilling. Matching bushing screws right in, uses original grip screw. Will save your life when polishing/bluing, accurizing .45's!



## Attributes

- Name: [1911 45 CALIBER OVERSIZED STOCK BUSHINGS 48 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080572050
- Mfr. No.:
- Make: 1911
- Material: -
- Model: -
- Style: -
- Delivery weight: 0.068kg
- Shipping height: 28mm
- Shipping width: 74mm
- Shipping length: 127mm
- UPC: 050806015876

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP
- About Us

# Safety Instruction Guide for 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP

## Introduction

Thank you for choosing the 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP. This product is designed to help you address stripped out stock bushing holes in a safe and effective manner. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in the product specifications.
- Always wear appropriate personal protective equipment (PPE), such as safety goggles and gloves, when using the product.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Regularly check the product for any signs of damage or wear before use.
- Follow all local regulations regarding the disposal of tools and materials.

## Specific Safety Precautions for Use

- Avoid using excessive force when tapping or screwing to prevent damage to the bushing or frame.
- Ensure the area is wellventilated when working with any chemicals or finishes, especially during polishing or bluing processes.
- Do not use the product if you are under the influence of drugs or alcohol.
- If you experience any discomfort or unusual reactions while using the product, stop immediately and seek medical advice.
- Always follow the manufacturer's instructions for any additional tools or chemicals used in conjunction with this product.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools and materials, including the oversized stock bushings, tap, and original grip screws.
- Ensure your workspace is clean and organized.

### 2. Cleaning the Area

- Use the special tap to clean out any stripped frame threads. This will prepare the area for the installation of the new bushings.
- Follow the tap's instructions carefully to avoid damaging the frame.

### 3. Installing the Bushings

- Align the oversized stock bushing with the cleaned hole.
- Gently screw the bushing into place using the original grip screw. Do not overtighten.

### 4. Final Checks

- Once all bushings are installed, check for stability and ensure that there are no loose components.
- If any issues are detected, consult the manufacturer or a professional for assistance.

## **Disposal Instructions**

- Dispose of any unused or damaged bushings and taps in accordance with local waste disposal regulations.
- Do not dispose of the product in regular household waste. Check for designated recycling facilities in your area.

## **Contact Information for Further Support**

For any questions or concerns regarding the use of this product, please refer to the manufacturer's website or contact their customer service for assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority!

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)