

1911 STOCK SCREWS - 1911 STANDARD STOCK SCREWS STAINLESS 24 PACK

[Handgun Parts](#) > [Frame Parts](#) > [Frame Hardware](#) > [Frame Screws](#)

Made to Original Factory Specs For Easy Replacement

The 1911 Government model auto is about as rugged as a mountain mule, but when you take the grips off to polish and reblue the critter or put on another set of grips, chances are that at least one of the stock screws will need replacing. Standard Stock Screws - Nicely made and finished, these specialized, blued screws are packed in sets of 4 Screws. Stainless Steel (S/S) Stock Screws - Look "right" on stainless steel and nickel-plated guns.



Attributes

- Name: [1911 STANDARD STOCK SCREWS STAINLESS 24 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080573412
- Mfr. No.:
- Make: 1911
- Model: Commander, Officers, Government
- Delivery weight: 0.027kg
- Shipping height: 15mm
- Shipping width: 81mm
- Shipping length: 104mm
- UPC: 050806015890

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Stock Screws
- About Us

Safety Instruction Guide for 1911 Stock Screws

Introduction

Thank you for choosing the 1911 Stock Screws. These screws are designed for use with the 1911 Government model and other compatible models such as Commander and Officers. This guide provides essential safety instructions to ensure the safe and effective use of this product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always inspect the screws for damage before use. Do not use damaged screws.
- Ensure that you are using the correct size and type of screws for your specific model.
- Keep screws and tools out of reach of children to prevent accidental injury.
- Use the screws only for their intended purpose. Misuse may lead to injury or damage.
- If you experience any issues with the screws, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- When handling the screws, wear appropriate safety gear, such as gloves and safety glasses, to protect against sharp edges and debris.
- Avoid overtightening screws, as this may strip the threads or damage the materials being fastened.
- Ensure that all tools used for installation are in good working condition to prevent accidents.
- If you are unfamiliar with the installation process, consider consulting a professional gunsmith for assistance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a screwdriver that fits the screw heads.
- Ensure that the work area is clean and free from distractions.

2. Removing Old Screws:

- Carefully remove the grips from the firearm.
- Use the appropriate screwdriver to unscrew and remove the old stock screws.

3. Installing New Screws:

- Align the new stock screws with the predrilled holes in the firearm frame.
- Handtighten each screw initially to ensure proper alignment.
- Once aligned, use the screwdriver to tighten each screw securely, but do not overtighten.

4. Final Check:

- After installation, check that all screws are tightened properly and that the grips are securely attached.
- Conduct a visual inspection to ensure no parts are loose or damaged.

Disposal Instructions

- Dispose of any old screws or packaging materials in accordance with local waste disposal regulations.
- Do not dispose of screws in a manner that could pose a risk to the environment or public safety.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Stock Screws, please refer to the manufacturer's contact information provided with your product packaging or visit the manufacturer's website for further assistance.

By following these safety guidelines and instructions, you can ensure the safe use of your 1911 Stock Screws while maintaining compliance with the EU General Product Safety Regulation. Thank you for your attention to safety!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at