

1911 STOCK TAPS - BROWNELL'S 1911 SCREW TAP (0.150"-50 TPI)

[Gunsmith Tools](#) > [Handgun Tools](#) > [Taps & Dies](#)

1911 Auto Stock Taps are high speed steel. 1911 Bushing Tap (.236-60), 1911 Screw Tap (.150-50).



Attributes

- Name: [BROWNELL'S 1911 SCREW TAP \(0.150"-50 TPI\)](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 080598150
- Mfr. No.: 44289
- Weapon type: 1911
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806018792

Item details

Made in USA

Table of Contents

- Startpage
- 1911 STOCK TAPS BROWNELLS 1911 SCREW TAP Safety Instructions
- About Us

1911 STOCK TAPS BROWNELLS 1911 SCREW TAP Safety Instructions

Introduction

Thank you for choosing the 1911 Stock Taps from Brownells. This guide provides essential safety instructions and usage guidelines to ensure your safety and the proper functioning of the product. Please read this manual carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when handling or using the taps.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product for any damage or wear before use. Do not use if any defects are present.
- Report any unsafe product incidents or accidents to the relevant authorities immediately.
- Regularly check for updates on product recalls through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use the taps in a wellventilated area to avoid inhalation of metal dust.
- Avoid using excessive force when tapping to prevent tool breakage and potential injury.
- Use the taps with compatible materials only. Refer to the specifications for suitable applications.
- Ensure that the tap is properly aligned with the workpiece to avoid stripping the threads.
- Do not attempt to modify the taps. Any alterations may compromise safety and performance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and PPE before starting.
- Ensure the work area is clean and free from hazards.

2. Installation:

- Select the appropriate tap for your application (e.g., 1911 Bushing Tap or 1911 Screw Tap).
- Secure the workpiece in a stable position using a vice or clamps.

3. Tapping Process:

- Begin by drilling a pilot hole if required, ensuring it is the correct size for the tap.
- Insert the tap into the tap wrench or holder, ensuring it is tightly secured.
- Align the tap with the pilot hole and apply gentle pressure to start the threading process.
- Turn the tap clockwise, applying consistent pressure. If resistance is felt, back the tap out slightly to clear any debris and then continue.
- Once the desired depth is reached, carefully remove the tap by reversing the direction of rotation.

4. PostUse Care:

- Clean the taps after use to remove any metal shavings or debris.
- Store the taps in a dry, secure location to prevent damage.

Disposal Instructions

- Dispose of any broken or worn taps according to local regulations.
- Do not throw taps in regular trash; consider recycling options where available.
- Ensure that all waste is handled in an environmentally responsible manner.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the 1911 Stock Taps, please refer to the appropriate contact points available in your region. Always ensure that you are seeking information from authorized sources.

Thank you for taking the time to read this safety instruction guide. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk