

BROWNELL'S CYLINDER POLISHING SYSTEM - POLISHING HONE FINE COURSE .44 CYLINDER GRAY

[Gunsmith Tools & Supplies](#) > [Handgun Tools](#) > [Hones & Files](#)

Silicon Carbide Abrasive Balls For Flawless "Inside" Polishing On Revolvers & Semi- Auto Pistols

BROWNELLS CYLINDER POLISHING SYSTEM The Brownells Cylinder Polishing System is a specialized tool designed to smooth and polish rough or scored revolver chambers, enhancing extraction efficiency and overall firearm performance. By eliminating imperfections within the cylinder, this system ensures a friction-free surface, thereby reducing the likelihood of extraction issues during operation. **Description and Features:** This polishing system utilizes medium and fine grit silicon carbide abrasives embedded in twisted steel shafts, providing effective material removal and a polished finish. The hones are 3 inches in length, making them suitable for various revolver calibers, including .32, .38/.357, .41, .44, .45 ACP, and .45 Colt. Additionally, the system can be employed to remove machine marks on semi-automatic pistol spring "ways," resulting in smoother hammer falls and improved cycling. For optimal performance and longevity of the hones, it is recommended to use them with Flex-Hone oil. **Specifications:** Abrasive Material: Silicon carbide Grit Options: Medium and fine Shaft Material: Twisted steel Hone Length: 3 inches Compatible Calibers: .32, .38/.357, .41, .44, .45 ACP, .45 Colt **Customer Insights:** Customers of the Brownells Cylinder Polishing System commend its effectiveness in resolving extraction problems by providing a smooth, polished chamber surface. The ease of use and quick results are frequently highlighted, with many noting significant improvements in firearm performance after application. The system's versatility in accommodating various calibers and its ability to enhance semi-automatic pistol operation by smoothing spring "ways" are also appreciated. Incorporating the Brownells Cylinder Polishing System into your gunsmithing toolkit ensures efficient and thorough polishing of revolver chambers and semi-automatic pistol components, leading to enhanced reliability and performance of your firearms.



Attributes

- Name: [POLISHING HONE FINE COURSE .44 CYLINDER GRAY](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080608244
- Mfr. No.: 00904
- Color: Gray
- Length: 3"
- Make: Universal Handguns
- Material: Steel
- Model Number: 44 Fine
- Delivery weight: 0.014kg
- Shipping height: 10mm
- Shipping width: 76mm
- Shipping length: 157mm
- UPC: 050806019195

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Brownell's Cylinder Polishing System Safety Instructions](#)
- [About Us](#)

Brownell's Cylinder Polishing System Safety Instructions

Introduction

Thank you for choosing the Brownell's Cylinder Polishing System. This specialized tool is designed to enhance the performance of your firearms by polishing revolver chambers and improving extraction efficiency. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always read and understand the product instructions before use.
- Ensure the workspace is clean and free from clutter to prevent accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the polishing system before each use for any signs of damage or wear.
- Use personal protective equipment (PPE) such as safety glasses and gloves when handling the product.
- Do not use the polishing system for any purpose other than its intended use.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded and safe before using the polishing system.
- Avoid contact with the abrasive surfaces when the tool is in use to prevent injury.
- Do not exceed the recommended speed or pressure while using the polishing system to avoid damage.
- Use the polishing system in a wellventilated area to minimize exposure to dust and debris.
- Follow the manufacturer's recommendations for the use of FlexHone oil to ensure optimal performance and safety.
- If you experience any adverse reactions (e.g., skin irritation, respiratory issues) while using the product, discontinue use immediately and seek medical advice.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including the Brownell's Cylinder Polishing System and FlexHone oil.
- Ensure your workspace is welllit and organized.

2. Installation:

- Select the appropriate hone based on the caliber of your revolver.
- Attach the hone securely to your drill or power tool, ensuring it is properly aligned.

3. Usage:

- Apply a small amount of FlexHone oil to the hone before starting.
- Insert the hone into the revolver chamber gently, ensuring it fits snugly.
- Power on the drill or tool at a low speed and gradually increase as needed.
- Move the hone in and out of the chamber smoothly, avoiding excessive pressure.
- Periodically check the chamber for smoothness and polish, adjusting your technique as necessary.

4. PostUse:

- After polishing, clean the chamber thoroughly to remove any debris or residue.

- Store the polishing system in a dry, safe place away from direct sunlight and moisture.

Disposal Instructions

- Dispose of any used abrasives and FlexHone oil according to local regulations for hazardous waste.
- Do not dispose of the product in regular household waste.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the Brownell's Cylinder Polishing System, please refer to the manufacturer's contact information provided with the product packaging.

By following these safety instructions, you can ensure a safe and effective experience with the Brownell's Cylinder Polishing System. Thank you for your attention to safety and enjoy your improved firearm performance!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at