

HIGH SPEED STEEL WILSON DOVETAIL CUTTER - 60 HSS WILSON DOVETAIL CUTTER .290"

[Gunsmith Tools & Supplies](#) > [Power Tools & Accessories](#) > [Milling Cutters](#)

Unique Sizes For Wilson

2" (5cm) long. .375" (9.5mm) diameter shaft. 60° shoulder. DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAK TEETH. Sight is a .300" x 60 degree dovetail that may require machining of slide.



Attributes

- Name: [60 HSS WILSON DOVETAIL CUTTER .290"](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080621290
- Mfr. No.:
- Degree: 60
- Delivery weight: 0.045kg
- Shipping height: 5mm
- Shipping width: 76mm
- Shipping length: 135mm
- UPC: 050806019751

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for HIGH SPEED STEEL WILSON DOVETAIL CUTTER 60 HSS
- About Us

Safety Instruction Guide for HIGH SPEED STEEL WILSON DOVETAIL CUTTER 60 HSS

Introduction

Thank you for choosing the HIGH SPEED STEEL WILSON DOVETAIL CUTTER 60 HSS. This guide provides essential safety instructions and usage information to ensure your safety and the effective use of the product. Please read this document carefully before using the cutter.

General Safety Guidelines

- Always prioritize your safety when using tools and equipment.
- Ensure that the cutter is used in accordance with the manufacturer's instructions.
- Be aware of the potential hazards associated with the use of cutting tools.
- Use appropriate personal protective equipment (PPE), including safety goggles and gloves.
- Keep the workspace clean and welllit to minimize risks.
- Ensure that all safety features of the equipment are functioning correctly before use.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Speed Limit:** Do not exceed 700 RPM while using this cutter, as higher speeds may lead to broken teeth and possible injury.
- **Machining Requirement:** The cutter's sight is a .300" x 60degree dovetail, which may require machining of the slide. Ensure proper adjustments are made before use.
- **Handling:** Always handle the cutter with care to avoid injury. Do not touch the cutting edges.
- **Storage:** Store the cutter in a safe place, out of reach of children and untrained individuals.
- **Inspection:** Regularly inspect the cutter for any signs of wear or damage. Do not use if damaged.

Instructions for Installation and Usage

1. Installation:

- Prepare the slide for machining if necessary. Ensure it is clean and free from debris.
- Align the cutter correctly with the slide, ensuring it fits securely.
- Follow any specific instructions provided for the machining process to avoid errors.

2. Usage:

- Before starting, ensure you are wearing appropriate PPE.
- Set the machine to the recommended speed of 700 RPM or lower.
- Hold the cutter firmly and ensure a stable grip during operation.
- Monitor the cutter's performance during use. If you notice any irregularities, stop immediately and inspect.
- After use, turn off the machine and allow the cutter to cool down before handling.

Disposal Instructions

- Dispose of the cutter in accordance with local regulations concerning metal waste.
- Ensure that the cutter is rendered unusable before disposal to prevent accidental injuries.
- Recycle materials where possible to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the HIGH SPEED STEEL WILSON DOVETAIL CUTTER 60 HSS, please refer to the manufacturer's contact details provided with your product.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at