

# RSA-100 19LB. PRO-SPRING KIT FOR NEW MODEL RUGER® SINGLE ACTION - RSA-100 19LB PRO-SPRING KIT NEW MODEL RUGER SINGLE ACTION

[Handgun Parts](#) > [Trigger Group Parts](#) > [Performance Enhancing Kits](#)

## "Guaranteed Superior"

An excellent base from which to build a beautiful, smooth and reliably functioning gun. Includes a redesigned trigger spring and a reduced power hammer spring to give controlled trigger pull. Also includes extra power, base pin latch spring. Factory hammer spring is 23 lb. Kit contains 19 lb. hammer spring, 35% reduced power trigger spring and extra power base pin latch spring.



## Attributes

- Name: [RSA-100 19LB PRO-SPRING KIT NEW MODEL RUGER SINGLE ACTION](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 080665100
- Mfr. No.: 95201
- Delivery weight: 0.018kg
- Shipping height: 3mm
- Shipping width: 91mm
- Shipping length: 185mm
- UPC: 050806101869

## Item details

Made in USA

# Table of Contents

- Startpage
- RSA100 19LB PROSPRING KIT Safety Instruction Guide
- About Us

# RSA100 19LB PROSPRING KIT Safety Instruction Guide

## Introduction

Thank you for choosing the RSA100 19LB PROSPRING KIT for your New Model Ruger® Single Action. This guide provides essential safety information and instructions to ensure the safe and effective use of this product. Please read this guide carefully before installation and usage.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product for any damage before installation. Do not use if damaged.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Use the RSA100 PROSPRING KIT only with compatible Ruger® Single Action models.
- Avoid using excessive force during installation to prevent damage to the firearm or the kit.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Ensure the firearm is unloaded before starting any installation or maintenance work.
- Be aware of your surroundings and ensure that you are in a safe environment when using the firearm.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is completely unloaded.
- Gather all necessary tools for installation, including a screwdriver and pliers.

### 2. Installation Steps

- Remove the existing hammer spring and trigger spring from your Ruger® Single Action.
- Install the 19 lb. hammer spring from the RSA100 PROSPRING KIT into the firearm.
- Replace the factory trigger spring with the 35% reduced power trigger spring included in the kit.
- Install the extra power base pin latch spring to enhance performance.
- Doublecheck all components to ensure they are securely in place.

### 3. PostInstallation Check

- Test the trigger pull to ensure it operates smoothly and safely.
- Perform a function check to confirm that the firearm operates correctly.
- If any issues arise during the function check, consult a qualified gunsmith before use.

## Disposal Instructions

- Dispose of any parts that are no longer usable in accordance with local regulations.
- Do not dispose of products in regular household waste. Instead, follow local guidelines for hazardous materials.

## **Contact Information for Further Support**

For safety inquiries or further assistance regarding the RSA100 19LB PROSPRING KIT, please contact your local dealer or manufacturer. Ensure you have the product details available for reference.

By following these safety instructions, you can ensure a safer experience with your RSA100 19LB PROSPRING KIT. Always prioritize safety and remain informed about best practices for firearm use and maintenance.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)