

SWJ-200 PRO-SPRING KIT FOR S&W J-FRAME REVOLVER - PRO-SPRING KIT #SWJ-200 FOR S&W J FRAME REVOLVERS

[Handgun Parts](#) > [Action Parts](#) > [Spring Kits](#)

"Guaranteed Superior"

Kit contains (3) different, rate reduced power rebound springs, 13, 14 and 15 lb., to give you the proper selection; plus (1) reduced power hammer spring.



Attributes

- Name: [PRO-SPRING KIT #SWJ-200 FOR S&W J FRAME REVOLVERS](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080665200
- Mfr. No.: 95203
- Delivery weight: 0.018kg
- Shipping height: 10mm
- Shipping width: 91mm
- Shipping length: 193mm
- UPC: 050806101487

Item details

Made in USA

Table of Contents

- Startpage
- SWJ200 PROSPRING KIT FOR S&W JFRAME REVOLVER
- About Us

SWJ200 PROSPRING KIT FOR S&W JFRAME REVOLVER

Safety Instruction Guide

Introduction

Thank you for choosing the SWJ200 PROSPRING KIT for your S&W JFrame Revolver. This guide provides essential safety instructions to ensure the safe use and handling of your product. Please read this manual carefully before installation and usage.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Store the kit in a cool, dry place away from children and pets.
- Regularly inspect the springs and components for wear or damage.
- Do not attempt to modify the springs or any components.
- Follow all local laws and regulations regarding firearm modifications.
- If you are unsure about any aspect of the installation or usage, seek professional assistance.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before beginning installation.
- Wear safety glasses during installation to protect your eyes from potential spring release.
- Keep hands clear of the spring's path when installing or removing springs.
- Use proper tools when handling components to avoid injury.
- Be aware of your surroundings and ensure you are in a safe environment while working on your firearm.

Instructions for Installation and Usage

1. Preparation

- Ensure your firearm is completely unloaded.
- Gather all necessary tools, including appropriate screwdrivers and safety glasses.

2. Installation of Rebound Springs

- Remove the side plate of the revolver according to the manufacturer's instructions.
- Identify the existing rebound spring and remove it carefully.
- Select one of the provided rebound springs (13, 14, or 15 lb.) based on your preference.
- Install the new rebound spring by aligning it properly and securing it in place.

3. Installation of Hammer Spring

- Locate the hammer spring in your revolver.
- Carefully remove the existing hammer spring.
- Install the reduced power hammer spring included in the kit, ensuring it is seated correctly.

4. Reassembly

- Reattach the side plate of the revolver, ensuring all screws are tightened securely.
- Perform a function check to ensure the revolver operates correctly.
- Store any unused springs in a safe place.

5. Usage

- After installation, test the firearm in a controlled environment to ensure proper function.
- Regularly check the springs for performance and wear, replacing them as necessary.

Disposal Instructions

- Dispose of any old springs and components in accordance with local regulations.
- Do not dispose of springs in regular household waste.
- Consider recycling options for metal components where available.

Contact Information for Further Support

For any inquiries regarding the SWJ200 PROSPRING KIT, please refer to the manufacturer's website or contact their support team for assistance.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the SWJ200 PROSPRING KIT for your S&W JFrame Revolver. Always prioritize safety and compliance with local laws when handling firearms and their components. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at