


BSBF-600 PRO-SPRING KIT FOR BERETTA 92/96 F/SB - PRO-SPRING KIT #BSBF-600 FOR BERETTA 92/96 F/SB

[Handgun Parts](#) > [Action Parts](#) > [Spring Kits](#)

"Guaranteed Superior"

Contains 1 each FSW 13 lb., recoil spring and 20 lb. hammer spring plus, (1) 18 lb., RP hammer spring, (1) XP firing pin spring. 13 lb.



Attributes

- Name: [PRO-SPRING KIT #BSBF-600 FOR BERETTA 92/96 F/SB](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080665600
- Mfr. No.: 95270
- Delivery weight: 0.027kg
- Shipping height: 13mm
- Shipping width: 89mm
- Shipping length: 239mm
- UPC: 050806105096

Item details

Made in USA

Table of Contents

- Startpage
- BSBF600 PROSPRING KIT FOR BERETTA 92/96 F/SB Safety Instruction Guide
- About Us

BSBF600 PROSPRING KIT FOR BERETTA 92/96 F/SB Safety Instruction Guide

Introduction

Thank you for purchasing the BSBF600 PROSPRING KIT for Beretta 92/96 F/SB. This product is designed to enhance the performance of your firearm. However, it is crucial to follow the safety instructions provided in this guide to ensure safe operation and handling.

General Safety Guidelines

- Ensure safe use of the product by following all instructions carefully.
- Use this product only for its intended purpose as specified in the product description.
- Always handle firearms with care and in accordance with established safety practices.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for updates on product safety and recalls through the EU's Safety Gate platform.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when handling or working on firearms.
- Ensure the firearm is unloaded before beginning any installation or maintenance.
- Avoid using the product in wet or damp conditions to prevent corrosion or malfunction.
- Do not attempt to modify the springs or other components beyond the manufacturer's specifications.
- Be aware of potential hazards such as pinching or spring tension during installation.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have the necessary tools for installation.
- Read the instructions completely before beginning the installation process.

2. Installation Steps:

- Remove the magazine and ensure the firearm is unloaded.
- Disassemble the firearm according to the manufacturer's guidelines.
- Replace the existing recoil spring with the 13 lb. FSW recoil spring included in the kit.
- Replace the hammer spring with the 20 lb. hammer spring, ensuring proper alignment.
- Install the RP 18 lb. hammer spring and the XP firing pin spring as per the instructions provided in the kit.
- Reassemble the firearm carefully, ensuring all components are secure and functioning properly.

3. Usage:

- Test the firearm in a safe and controlled environment after installation.
- Monitor the performance of the new springs during use and be attentive to any unusual behavior.

Disposal Instructions

- Dispose of old springs and components in accordance with local regulations.
- Do not dispose of any firearmrelated products in regular household waste.

Contact Information for Further Support

For questions or concerns regarding the BSBF600 PROSPRING KIT, please refer to the manufacturer's contact information provided on the product packaging or visit the manufacturer's website.

By following these guidelines, you can ensure a safe and effective experience with your BSBF600 PROSPRING KIT. Always prioritize safety and compliance with local laws and regulations.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at