

S&W REBOUND SLIDE SPRING TOOL - BROWNELLS REBOUND SLIDE SPRING TOOL FOR S&W

[Gunsmith Tools](#) > [Handgun Tools](#) > [Slide Tools](#)

Correctly, Easily Compresses Spring

S&W REBOUND SLIDE SPRING TOOL Specially bent and slotted tool is really about the only way to get past the frame pin to grab and compress the rebound slide spring while removing or installing the rebound slide. Fits all J, K, L, N and X frames. Will not scratch that valuable frame, pinch or bind. NOTE: This tool may not work with the Smith and Wesson Bodyguard series of revolvers SPECS: 6" (15.2cm) long 1.015" (25.8cm) diameter.



Attributes

- Name: [BROWNELLS REBOUND SLIDE SPRING TOOL FOR S&W](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080666000
- Mfr. No.: 97216
- Model: Universal Handguns
- Weapon type: Smith & Wesson
- Delivery weight: 0.054kg
- Shipping height: 10mm
- Shipping width: 56mm
- Shipping length: 84mm
- UPC: 050806001923

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [S&W Rebound Slide Spring Tool Safety Instruction Guide](#)
- [About Us](#)

S&W Rebound Slide Spring Tool Safety Instruction Guide

Introduction

Thank you for choosing the S&W Rebound Slide Spring Tool by Brownells. This tool is designed to assist in the safe removal and installation of the rebound slide spring for Smith & Wesson handguns. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always use the tool in accordance with the manufacturer's instructions.
- Ensure that the work area is clean, welllit, and free from distractions.
- Keep the tool out of reach of children and pets.
- Inspect the tool before each use for any signs of damage or wear.
- Use personal protective equipment (PPE) such as safety glasses to protect your eyes.
- Do not use the tool for any purpose other than its intended use.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Before using the tool, ensure that the firearm is unloaded and pointed in a safe direction.
- Avoid placing your fingers near the area where the tool will be used to prevent pinching or injury.
- Do not force the tool if it does not fit or operate smoothly; this may cause damage to the tool or the firearm.
- Use only on compatible Smith & Wesson frame models (J, K, L, N, and X frames).
- Follow all local laws and regulations regarding firearm maintenance and safety.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather all necessary tools and materials, including the S&W Rebound Slide Spring Tool.

2. Using the Tool:

- Carefully insert the specially bent and slotted end of the tool past the frame pin.
- Gently grab and compress the rebound slide spring.
- While holding the spring, proceed to remove or install the rebound slide as needed.
- Ensure that the tool does not scratch, pinch, or bind against the frame during the process.

3. PostUse:

- After completing your work, carefully remove the tool and store it in a safe place.
- Clean the tool if necessary to maintain its condition.

Disposal Instructions

- Dispose of the tool responsibly and in accordance with local regulations.
- If the tool is damaged beyond repair, consider recycling materials where possible.

Contact Information for Further Support

For any inquiries related to safety or product usage, please reach out to your local support channels or the manufacturer directly. Always ensure that you are referring to official sources for the most accurate and up-to-date information.

By following these safety instructions, you can ensure a safe and effective experience while using the S&W Rebound Slide Spring Tool. Thank you for prioritizing safety in your firearm maintenance activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk