

WEAVER 8-40 SIGHT SCREW COUNTERBORE

[Gunsmith Tools & Supplies](#) > [Sight & Scope Installation Tools](#) > [Sight Screw Head Counterbores](#)

High-Speed Steel; For Popular Sight Screws; Made To Our Exact Spec For Most Sight Base Screws

Overall 2½" (6.3mm); Body Dia. .250" (6.3mm); Pilot Dia. .165" (4.2mm); Pilot Length 1/8" (3.2mm); 45° Shoulder. Use Drill No. 19 for Pilot Hole.



Attributes

- Name: [WEAVER 8-40 SIGHT SCREW COUNTERBORE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080671840
- Mfr. No.:
- Delivery weight: 0.018kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806017580

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [WEAVER 840 SIGHT SCREW COUNTERBORE Safety Instructions](#)
- [About Us](#)

WEAVER 840 SIGHT SCREW COUNTERBORE Safety Instructions

Introduction

Thank you for choosing the WEAVER 840 SIGHT SCREW COUNTERBORE. This product is designed for precision drilling applications. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Ensure that the workspace is clean and free of clutter to prevent accidents.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the tool for any signs of wear or damage before use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Before using the WEAVER 840 SIGHT SCREW COUNTERBORE, ensure that the drill is securely mounted and stable.
- Use Drill No. 19 for the pilot hole as specified in the product instructions.
- Do not exceed the recommended pilot length of 1/8" (3.2mm) to avoid damaging the tool.
- Always ensure that the workpiece is properly secured before drilling.
- Avoid wearing loose clothing or jewelry that may get caught in the tool during operation.
- Do not operate the tool in wet or damp conditions to prevent electrical hazards.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including the WEAVER 840 SIGHT SCREW COUNTERBORE and Drill No. 19.
- Ensure you are working in a welllit area.

2. Setting Up the Tool:

- Attach the WEAVER 840 SIGHT SCREW COUNTERBORE to the drill according to the manufacturer's instructions.
- Check that the tool is secure and properly aligned.

3. Drilling Process:

- Mark the location for the pilot hole on the workpiece.
- Using Drill No. 19, drill a pilot hole at the marked location.
- Once the pilot hole is complete, switch to the WEAVER 840 SIGHT SCREW COUNTERBORE.
- Carefully drill to the desired depth, ensuring to maintain control of the tool throughout the process.

4. PostUse Care:

- After use, clean the tool to remove any debris or residue.
- Store the WEAVER 840 SIGHT SCREW COUNTERBORE in a dry and secure location.

Disposal Instructions

- Dispose of the WEAVER 840 SIGHT SCREW COUNTERBORE in accordance with local regulations for tool disposal.
- Do not dispose of the product in household waste. Instead, consider recycling options where available.

Contact Information for Further Support

For any questions or concerns regarding the WEAVER 840 SIGHT SCREW COUNTERBORE, please refer to the manufacturer's contact information provided on the packaging or product documentation.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the WEAVER 840 SIGHT SCREW COUNTERBORE. Always prioritize safety and do not hesitate to seek assistance if you are unsure about any aspect of using this product. Thank you for your attention to these important guidelines.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at