

FILLISTER 6-48 SIGHT SCREW COUNTERBORE - BROWNELLS

FILLISTER 6-48 COUNTERBORE

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Screw Head Counterbores](#)

**High-Speed Steel; For Popular Sight Screws; Made To Our Exact Spec
For Most Sight Base Screws**

Overall 2½"; Body Dia. .218"; Pilot Dia. .137"; Pilot Length 1/8"; 90° Shoulder.
Use Drill No. 28 for Pilot Hole.



Attributes

- Name: [BROWNELLS FILLISTER 6-48 COUNTERBORE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080672641
- Mfr. No.: 800002180003
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806017610

Item details

Made in USA

Table of Contents

- Startpage
- FILLISTER 648 SIGHT SCREW COUNTERBORE SAFETY INSTRUCTIONS
- About Us

FILLISTER 648 SIGHT SCREW COUNTERBORE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the FILLISTER 648 SIGHT SCREW COUNTERBORE by Brownells. This guide provides essential safety instructions to ensure safe usage of the product. Please read this document carefully before use to minimize risks and ensure compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always use the product according to the manufacturer's instructions.
- Ensure that the workspace is clean and free from hazards before starting any work.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the tool for any damage before use. Do not use if damaged.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves.
- Be aware of your surroundings when using the tool to avoid accidents.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the pilot hole is drilled using Drill No. 28 to avoid tool damage and ensure proper functionality.
- Use the product only for its intended purpose as a sight screw head counterbore.
- Do not exceed the recommended specifications: overall length of $2\frac{1}{2}$ ", body diameter of .218", pilot diameter of .137", and pilot length of 1/8".
- Avoid applying excessive force while using the counterbore to prevent tool breakage and personal injury.
- Store the tool in a dry place when not in use to prevent corrosion and damage.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have the correct drill bit (Drill No. 28) for creating the pilot hole.
- Gather all necessary tools and safety equipment before beginning.

2. Drilling the Pilot Hole:

- Mark the location where the counterbore will be used.
- Use Drill No. 28 to create the pilot hole as per the marked position.

3. Using the Counterbore:

- Insert the FILLISTER 648 COUNTERBORE into the pilot hole.
- Apply gentle and consistent pressure while drilling to achieve the desired depth without damaging the material.
- Maintain control of the tool to avoid slipping or accidents.

4. Finishing Up:

- Once completed, carefully remove the counterbore from the material.
- Clean the tool after use to maintain its condition and performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged or no longer in use, consider recycling or proper waste disposal methods to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or additional support regarding the FILLISTER 648 SIGHT SCREW COUNTERBORE, please contact the manufacturer directly through their official channels.

Thank you for prioritizing safety while using the FILLISTER 648 SIGHT SCREW COUNTERBORE. Your adherence to these guidelines helps ensure a safe and effective experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk