

RIFLE DOVETAIL SLOT BLANK - RIFLE SIGHT DOVETAIL SLOT BLANK BLACK

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Front Sight Blanks](#)

Fill Empty Dovetails For A Clean, Finished Appearance

The perfect cure when removing factory sights or restoring antiques to original space. Mild steel blanks machined slightly oversize for a close, perfectly blended fit in barrel sight dovetails. Easy to shape, file and blue.



Attributes

- Name: [RIFLE SIGHT DOVETAIL SLOT BLANK BLACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080770375
- Mfr. No.:
- Color: Black
- Make: Universal Rifles
- Delivery weight: 0.045kg
- Shipping height: 5mm
- Shipping width: 84mm
- Shipping length: 330mm
- UPC: 050806101593

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE DOVETAIL SLOT BLANK
- About Us

Safety Instruction Guide for RIFLE DOVETAIL SLOT BLANK

Introduction

Thank you for choosing the RIFLE DOVETAIL SLOT BLANK. This product is designed for use in removing factory sights or restoring antiques to their original specifications. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling and installing the product.
- Ensure your working area is clean, welllit, and free from distractions.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear before use.
- Do not use the product for any purpose other than its intended use.

Specific Safety Precautions for Use

- Be aware of sharp edges when handling the steel blanks.
- Use caution when shaping or filing the blanks, as metal shavings can pose a risk of injury.
- Ensure that your tools are in good condition and appropriate for the task.
- Avoid inhaling metal dust or shavings; use a dust mask if necessary.
- Do not apply excessive force when fitting the blank into the dovetail slot to prevent damage to the firearm.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including files, a hammer, and a suitable work surface.
- Clean the dovetail slot on the firearm to remove any debris or old sight material.

2. Fitting the Blank

- Carefully position the blank into the dovetail slot.
- If the blank is oversized, use a file to gradually shape it for a snug fit.
- Test the fit frequently to avoid overfiling.

3. Securing the Blank

- Once the blank fits properly, secure it in place using adhesive or by staking, depending on your preference and the manufacturer's recommendations.
- Ensure the blank is flush with the surface of the firearm.

4. Finishing Touches

- After installation, you may choose to blue the blank to match the finish of your firearm.
- Follow the manufacturer's instructions for any finishing products used.

5. Final Inspection

- Inspect the installation to ensure it is secure and that there are no sharp edges remaining.

Disposal Instructions

- Dispose of any metal shavings or scraps in accordance with local waste disposal regulations.
- If the product is damaged or no longer needed, consider recycling it if possible.

Contact Information for Further Support

For any safety inquiries or support regarding the RIFLE DOVETAIL SLOT BLANK, please contact your local distributor or visit the manufacturer's website for further assistance.

Conclusion

Following the guidelines provided in this safety instruction guide will help ensure a safe and effective experience with the RIFLE DOVETAIL SLOT BLANK. Remember to always prioritize safety and consult a professional if you have any doubts or concerns regarding installation or use.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at