

MUZZLE RADIUS CUTTER - .920" DIAMETER MUZZLE RADIUS CUTTER

[Gunsmith Tools & Supplies](#) > [Barrel Tools](#) > [Muzzle Radius Cutters](#)

Puts The Finishing Touch On Barrel Crowning Jobs

Easily removes the sharp outside edge that remains after shortening or crowning a barrel. Easy-to-use cutter requires only a hand drill to quickly cut a smooth radius for a nicely finished look. Three cutter sizes to fit most barrels.



Attributes

- Name: [.920" DIAMETER MUZZLE RADIUS CUTTER](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080908920
- Mfr. No.:
- Delivery weight: 0.023kg
- Shipping height: 13mm
- Shipping width: 23mm
- Shipping length: 165mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MUZZLE RADIUS CUTTER .920" DIAMETER](#)
- [About Us](#)

Safety Instruction Guide for MUZZLE RADIUS CUTTER .920" DIAMETER

Introduction

Thank you for choosing the MUZZLE RADIUS CUTTER .920" DIAMETER by BROWNELLS. This guide provides essential safety instructions to ensure the safe use of this product. It is important to read and understand these instructions before using the cutter to prevent accidents and injuries.

General Safety Guidelines

- Always use the MUZZLE RADIUS CUTTER in accordance with the manufacturer's instructions.
- Ensure that the work area is clean, dry, and welllit to minimize risks.
- Keep the cutter out of reach of children and vulnerable individuals.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, while using the cutter.
- Inspect the cutter for any damage or wear before each use. Do not use if damaged.
- Be aware of your surroundings and ensure no one is in the immediate area while operating the cutter.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Sharp edges can cause cuts or injuries.
 - Improper use may lead to damage to the barrel or personal injury.
- **Avoiding Hazards:**
 - Always handle the cutter with care and keep fingers away from the cutting edge.
 - Use the cutter only with a hand drill that is in good working condition.
 - Ensure that the barrel is securely clamped or held in place before cutting.
 - Do not force the cutter; let it do the work at a steady pace.
 - If you feel resistance while cutting, stop and check the cutter and barrel for any issues.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a compatible hand drill and safety equipment.
- Choose the appropriate cutter size for your barrel from the available options: .615", .715", .815", or .920" diameters.

2. Installation:

- Insert the cutter into the chuck of the hand drill.
- Tighten the chuck securely to ensure the cutter is firmly held in place.

3. Usage:

- Position the cutter at the edge of the barrel where the radius needs to be cut.
- Turn on the hand drill at a low speed to begin cutting.
- Gradually increase the speed as needed, maintaining a steady and controlled motion.
- After cutting, turn off the drill and carefully remove the cutter from the barrel.

4. PostUsage:

- Clean the cutter and the work area to remove any debris.
- Store the cutter in a safe place, out of reach of children.

Disposal Instructions

- Dispose of the MUZZLE RADIUS CUTTER responsibly and in accordance with local regulations.
- If the cutter is damaged or no longer usable, consider recycling the metal components if possible.
- Do not discard in regular household waste.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the MUZZLE RADIUS CUTTER, please refer to the manufacturer's contact information provided with the product.

By following these safety instructions, you can ensure a safe and effective experience while using the MUZZLE RADIUS CUTTER .920" DIAMETER. Always prioritize safety and compliance with the EU General Product Safety Regulation. Thank you for your attention to these guidelines.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at