

BRASS PILOTS - .50 BMG/BP MUZZLE BRASS PILOT

[Gunsmith Tools & Supplies](#) > [Barrel Tools](#) > [Chamfering Tool Pilots](#)

Centers Cutters For Accurate Work

Hardened steel pilot keeps Facing and Chamfering cutters properly centered in the bore. Resists wear for years of service.

Select one of the following for other rifle/handgun muzzles, cylinder facing & chamfering tools.

[Steel One Caliber Set](#)

[45° Cutter & Steel Pilot](#)

[Brass One Caliber Set](#)

[45° Cutter & Brass Pilot](#)

[90° Cutter & Steel Pilot](#)

[Steel Pilot Only](#)

[90° Cutter & Brass Pilot](#)

[Chamfering & Facing Combo Sets](#)

Attributes

- Name: [.50 BMG/BP MUZZLE BRASS PILOT](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080943501
- Mfr. No.:
- Caliber: 50 Caliber (.500-.501)
- Material: Brass
- Delivery weight: 0.036kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806027503

Item details

Made in USA



Table of Contents

- Startpage
- BRASS PILOTS .50 BMG/BP MUZZLE BRASS PILOT Safety Instructions
- About Us

BRASS PILOTS .50 BMG/BP MUZZLE BRASS PILOT Safety Instructions

Introduction

Thank you for choosing the BRASS PILOTS .50 BMG/BP MUZZLE BRASS PILOT. This guide provides important safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before using the product.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before each use.
- If you notice any defects or issues, do not use the product and contact a qualified professional.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only with compatible firearms as specified by the manufacturer.
- Ensure that the firearm is unloaded before installing or using the pilot.
- Always wear appropriate safety gear, such as eye protection and hearing protection, when operating firearms.
- Do not modify the pilot or use it for purposes other than those intended by the manufacturer.
- Avoid using the product in wet or damp conditions, which could affect its performance and safety.
- Ensure that the pilot is properly centered in the bore to avoid misalignment and potential accidents.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary tools and safety equipment.

2. Installation:

- Carefully insert the BRASS PILOT into the bore of the firearm, ensuring that it is fully seated.
- Check that the pilot is properly aligned and centered.

3. Usage:

- Use the pilot in conjunction with chamfering or facing cutters as necessary.
- Maintain a firm grip on the firearm to prevent any movement during operation.
- Follow all operational guidelines provided by the cutter manufacturer.

4. PostUsage:

- After use, carefully remove the pilot from the bore.
- Clean the pilot and firearm according to the manufacturer's recommendations to maintain performance and longevity.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and hazardous waste.
- Do not dispose of the product in regular household waste.
- If you are unsure about proper disposal methods, consult with local waste management authorities for guidance.

Contact Information for Further Support

For any questions or concerns regarding the BRASS PILOTS .50 BMG/BP MUZZLE BRASS PILOT, please refer to the manufacturer's contact details provided on the packaging or product documentation.

Thank you for prioritizing safety and compliance with these guidelines. Enjoy using your BRASS PILOTS responsibly!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at