

TANK COVER - BROWNELLS BLUING TANK COVER, 40" L X 6" W, STAINLESS STEEL

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Metal Bluing](#) > [Bluing Tank Covers](#)

Protect Solutions From Contaminants & Evaporation

Covering the solutions you have in our 40" Black Iron or Stainless Steel tanks when they're not being used keeps dirt and contaminants out and extends solution life by preventing evaporation for a nice \$\$\$ savings to you. Has a thick, rubber seal to compensate for slightly bent or warped tanks and still gives a tight fit. Available in 18 gauge steel or stainless.



Attributes

- Name: [BROWNELLS BLUING TANK COVER, 40" L X 6" W, STAINLESS STEEL](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 082004663
- Mfr. No.:
- Delivery weight: 3.221kg
- Shipping height: 89mm
- Shipping width: 210mm
- Shipping length: 1,067mm
- UPC: 050806013834

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TANK COVER BROWNELLS BLUING TANK COVER, STAINLESS STEEL
- About Us

Safety Instruction Guide for TANK COVER BROWNELLS BLUING TANK COVER, STAINLESS STEEL

Introduction

Thank you for choosing the TANK COVER BROWNELLS BLUING TANK COVER, STAINLESS STEEL. This product is designed to protect your solutions in 40" Black Iron or Stainless Steel tanks from dirt and contaminants while preventing evaporation, thus extending the life of your solutions. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the tank cover is compatible with your tank model. This cover will not work on tanks with heat saver shields.
- Always inspect the tank cover for any signs of damage or wear before use.
- Keep the tank cover out of reach of children and pets to prevent accidents.
- Use the tank cover only for its intended purpose as described in this guide.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- When placing the tank cover, ensure that it fits securely to prevent any gaps that could allow contaminants to enter.
- If the tank is slightly bent or warped, the thick rubber seal on the cover should help maintain a tight fit. However, inspect the seal regularly for any signs of deterioration.
- Avoid exposing the tank cover to extreme temperatures or harsh chemicals that could damage the material.
- Do not attempt to modify or alter the tank cover in any way, as this may compromise its safety and effectiveness.

Instructions for Installation and Usage

1. Preparation:

- Clean the surface of your tank where the cover will sit to ensure a good seal.
- Inspect the tank cover for any visible defects or damage.

2. Installation:

- Align the tank cover over the tank opening.
- Ensure that the cover is centered and fits snugly against the tank.
- Press down firmly to engage the rubber seal and create a tight fit.

3. Usage:

- When not using the tank, keep the cover securely in place to protect the solution.
- Regularly check the cover to ensure it remains securely fitted and free from debris.

4. Removal:

- To remove the tank cover, gently lift it from the edges.

- Clean the cover before storing it to prevent any buildup of contaminants.

Disposal Instructions

- When the tank cover reaches the end of its life, dispose of it according to local regulations for metal products.
- Consider recycling the stainless steel or steel material to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the use and safety of the TANK COVER BROWNELLS BLUING TANK COVER, STAINLESS STEEL, please contact your local retailer or manufacturer directly.

By following these guidelines, you can ensure the safe and effective use of your tank cover, protecting both your solutions and the environment. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk