

SQUIB ROD - BROWNELLS SQUIB ROD, 8" ROD, .45 CALIBER, 2 PACK

[Gunsmith Tools](#) > [Handgun Tools](#) > [Stuck Case Removers](#)

No-Mar Brass Rod Knocks Stuck Bullets Out Of Bores

Don't let a stuck bullet from a "squib" or weak load cut short a shooting session. Far superior to other rods or makeshift punches, this non-marring brass rod fits the bore closely, can't wedge between bullet nose and rifling. Each rod is drilled and tapped to thread onto a Dewey cleaning rod; very handy for knocking stuck bullets out of rifle barrels.



Attributes

- Name: [BROWNELLS SQUIB ROD, 8" ROD, .45 CALIBER, 2 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 084175045
- Mfr. No.: 45SQUIBROD
- Caliber: 45 Caliber (.451-.454)
- Weapon type: Universal Handguns
- Delivery weight: 0.34kg
- Shipping height: 13mm
- Shipping width: 61mm
- Shipping length: 229mm
- UPC: 050806031395

Item details

Made in USA

Table of Contents

- Startpage
- SQUIB ROD BROWNELLS 45 CALIBER SQUIB ROD 8" LONG 2 PACK Safety Instructions
- About Us

SQUIB ROD BROWNELLS 45 CALIBER SQUIB ROD 8" LONG 2 PACK Safety Instructions

Introduction

Thank you for choosing the SQUIB ROD BROWNELLS 45 CALIBER SQUIB ROD. This product is designed to assist in safely removing stuck bullets from rifle barrels, thereby ensuring a smooth and enjoyable shooting experience. Please read this safety instruction guide carefully to understand how to safely use and maintain this product.

General Safety Guidelines

- Always handle firearms and related accessories with care and respect.
- Ensure that you are in a safe environment when using this product.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear.
- Follow all local laws and regulations regarding the use of firearms and related equipment.

Specific Safety Precautions for Use

- Use the SQUIB ROD only with firearms that match the specified caliber (45 Caliber .451.454).
- Do not use the SQUIB ROD if the barrel is obstructed by any foreign object other than a stuck bullet.
- Ensure the firearm is unloaded before attempting to use the SQUIB ROD.
- Avoid excessive force when using the SQUIB ROD to prevent damage to the firearm or injury to yourself.
- Always wear appropriate eye protection when using this product.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary tools, including the SQUIB ROD and a Dewey cleaning rod.

2. Installation:

- Take the SQUIB ROD and attach it to the Dewey cleaning rod by threading it onto the rod.
- Ensure the connection is secure before proceeding.

3. Using the SQUIB ROD:

- Insert the SQUIB ROD into the barrel until it contacts the stuck bullet.
- Gently push the rod forward to dislodge the bullet. Avoid using excessive force.
- If the bullet does not come free, reassess the situation to ensure no other obstructions are present.

4. PostUse:

- After successfully removing the bullet, clean the SQUIB ROD with a soft cloth to remove any debris.
- Store the SQUIB ROD in a safe place away from children and unauthorized users.

Disposal Instructions

- Dispose of the SQUIB ROD in accordance with local regulations regarding metal recycling.
- Ensure that the product is not discarded in a manner that could pose a risk to the environment or public

safety.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the SQUIB ROD BROWNELLS 45 CALIBER SQUIB ROD, please reach out to the appropriate contact in your region.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience while using the SQUIB ROD BROWNELLS 45 CALIBER SQUIB ROD. Your safety is our priority, and we appreciate your commitment to responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk