

# LONG TRIGGERGUARD SCREWS - TRIGGERGUARD ALLEN SCREWS FOR REMINGTON 700 ADL LA, BLUED

[Rifle Parts](#) > [Triggers Parts](#) > [Trigger Guard Parts](#) > [Trigger Guard Screws](#)

## Don't Get Caught Short When Bedding Rifle Actions In After-Market Stocks

Precision-turned, heat-treated screws provide extra reach when bedding Remington rifle actions in synthetic or wooden stocks with thicker, cross-sectional depth. Approximately .250" longer than the factory screws for greater flexibility in bedding depth. Action screw kits are available with the standard slotted head to match the factory screws or with Allen head sockets that allow repeatable torque settings on match or target rifles.



## Attributes

- Name: [TRIGGERGUARD ALLEN SCREWS FOR REMINGTON 700 ADL LA, BLUED](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 084272700
- Mfr. No.:
- Make: Remington
- Model: 700
- Delivery weight: 0.032kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806031524

## Item details

Made in USA

# Table of Contents

- Startpage
- LONG TRIGGERGUARD SCREWS SAFETY INSTRUCTIONS
- About Us

# LONG TRIGGERGUARD SCREWS SAFETY INSTRUCTIONS

## Introduction

Thank you for purchasing the Long Triggerguard Screws designed for Remington 700 ADL LA. This guide provides essential safety instructions and usage guidelines to ensure safe and effective use of the product. Please read this manual carefully before installation and usage.

## General Safety Guidelines

- Ensure that the screws are used only for their intended purpose.
- Always handle the screws with care to avoid injury.
- Keep the screws and all associated tools out of reach of children and vulnerable individuals.
- Regularly inspect the screws for wear or damage before each use.
- If you notice any defects or irregularities, discontinue use immediately and consult a professional.

## Specific Safety Precautions for Use

- When bedding the rifle actions, ensure that the screws are tightened to the manufacturer's specifications to avoid damage.
- Use appropriate tools when installing or removing the screws to prevent stripping or damaging the heads.
- Avoid overtightening the screws, as this may lead to stripping or breaking.
- Always wear safety goggles when working with tools to protect your eyes from debris.
- Do not attempt to modify or alter the screws in any way, as this may compromise their integrity.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a screwdriver or Allen wrench that fits the screw heads.
- Ensure the work area is clean and welllit.

### 2. Installation:

- Align the screw with the designated hole in the trigger guard.
- Insert the screw and handtighten it initially to ensure proper alignment.
- Using the appropriate tool, tighten the screw to the recommended torque specifications:
  - Slotted Head  $\frac{1}{4}$ "28 x 1.3",  $\frac{1}{4}$ "28 x 1.9", 836 x 1.8"
  - Allen Head  $\frac{1}{4}$ "28 x 1.7",  $\frac{1}{4}$ "28 x 2.2" or 836 x 2.2"
- Repeat for all screws included in the kit.

### 3. Usage:

- After installation, check the screws periodically for tightness, especially after the first use.
- If you experience any issues with the screws or the trigger guard, consult a professional for assistance.

## Disposal Instructions

- Dispose of any damaged or unused screws in accordance with local regulations.
- Do not dispose of screws in regular household waste. Check with local authorities for proper disposal methods.

## Contact Information for Further Support

For any inquiries regarding safety or product performance, please reach out to the designated EU contact point. Ensure that you have the product details ready for reference.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using your Long Triggerguard Screws.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)